## Glossary

AC [N-UNCOUNT-U1] AC (Alternating Current) is a flow of electric current that changes directions very quickly and at regular intervals. prad zmienny

accident [N-COUNT-U12] An accident is an unintended event, such as the collision of a vehicle with another vehicle or object. wypadek

acrid [ADJ-U15] If something is acrid, its smell burns or irritates one's nose. podrażniający

- **air conditioner** [N-COUNT-U7] An **air conditioner** is a device that removes heat from indoor air and replaces it with cool air. klimatyzator
- air conditioning [N-UNCOUNT-U7] Air conditioning is a system which removes heat from indoor air and replaces it with cool air. klimatyzacja
- air duct [N-COUNT-U6] An air duct is a pipe that is used to move air from one area to another. przewód powietrzny
- air handler [N-COUNT-U6] An air handler is a box that conditions air and blows it through ducts to ventilate a building. agregat klimatyzacyjny
- air quality [N-UNCOUNT-U6] Air quality is a measure of the pollutants present in the air in a particular area. jakość powietrza
- alignment [N-UNCOUNT-U11] Alignment is the adjustment of wheels, axles, and steering mechanisms with respect to the frame of an automobile such that the vehicle works properly, and tires wear evenly. osiowanie, wyrównanie, zbieżność
- alignment lift [N-COUNT-U11] An alignment lift is an automotive lift platform with integrated alignment equipment that raises a vehicle above the ground so that its alignment can be measured and adjusted. platforma do badania zbieżności
- amp [N-COUNT-U1] An amp is a unit used in measuring the strength of the flow of electricity. amper
- analyze [V-T-U9] To analyze something is to determine the nature of something by looking at it very carefully. analizować
- anti-static wristband [N-COUNT-U2] An anti-static wristband is a small device worn on the wrist to prevent a person from discharging static electricity when working on sensitive devices. opaska antystatyczna
- **backhoe** [N-COUNT-U9] A **backhoe** is a machine with a large machine-powered bucket that is used to scoop up and move dirt and other materials. **koparka podsiębierna**
- baler [N-COUNT-U8] A baler is a farm machine that presses loads of a particular crop tightly together. balownica
- **battery tender** [N-COUNT-U4] A **battery tender** is a device that charges a battery, while ensuring the battery does not overchange. prostownik z zabezpieczeniem przed przeładowaniem
- **belt drive** [N-COUNT-U3] A **belt drive** is type of drive train that uses a belt to transfer power from the engine to the rear wheel. napęd pasowy
- **blade** [N-COUNT-U9] A **blade** is a flat or curved piece of metal on the front of a bulldozer used for pushing large amounts of material. **lemiesz spychacza**
- **blade connector** [N-COUNT-U2] A **blade connector** is a flat blade-like connector that is inserted into a blade receptacle. złącze nożowe
- blower [N-COUNT-U6] A blower is a part of a ventilation system that pushes air into a desired area. dmuchawa
- **body filler** [N-UNCOUNT-U12] **Body filler** is a substance used to cover imperfections and patch holes in the body of a vehicle before it is painted. **szpachla**
- boiler [N-COUNT-U5] A boiler is a type of furnace that contains hot water. kocioł
- **bulldozer** [N-COUNT-U9] A **bulldozer** is a large vehicle with a machine-powered metal blade that is used to move large amounts of dirt, rocks or other material. **spycharka**
- burning [ADJ-U15] If something is burning it is on fire. płonący
- capacitance [N-UNCOUNT-U1] Capacitance is the amount of electric charge a body can hold. pojemność elektryczna
- central heat [N-UNCOUNT-U5] Central heat is a system for warming a building that distributes heat through pipes from a central furnace. centralne ogrzewanie

- chain drive [N-COUNT-U3] A chain drive is type of drive train that uses a chain and sprockets to transfer power from the engine to the rear wheel. napęd łańcuchowy
- chain guide [N-COUNT-U4] A chain guide is a cover that leads a motorcycle chain to the sprocket. prowadnica łańcucha

chain tension [N-UNCOUNT-U4] Chain tension is how tight or loose a motorcycle chain is. naciąg łańcucha

- chain wear [N-UNCOUNT-U4] Chain wear is damage to a motorcycle chain that leaves the chain worn down and weakened. zużycie łańcucha
- channel lock pliers [N-COUNT-U2] Channel lock pliers are a small hand-held gripping tool that can be adjusted to grip objects of different widths. szczypce nastawne
- charge [V-T-U13] To charge something is to provide it with a store of electrical power. ładować
- charging dock [N-COUNT-U14] A charging dock is a device that electric cars are connected to in order to renew the electricity in the battery. punkt ładowania
- charging port [N-COUNT-U14] A charging port is the connection where the electric car is attached to the power source. gniazdo ładowania
- charging station [N-COUNT-U14] A charging station is a business that supplies electricity for recharging electric cars. stacja ładowania
- circuit [N-COUNT-U1] A circuit is the complete path that an electric current flows around. obwód
- circuitry [N-UNCOUNT-U1] A circuitry is a system of circuits that an electric current flows around. zespół obwodów

clamp [N-COUNT-U11] A clamp is a metal fastener that holds something in position using a bolt mechanism. zacisk

clutch lever [N-COUNT-U3] A clutch lever is a part that a motorcycle driver presses to be able to change gears. dźwignia sprzęgła

- coaxial connector [N-COUNT-U2] A coaxial connector is a type of wire used for connecting cable television and for computer networks. przewód koncentryczny
- collision [N-COUNT-U10] A collision is when two things run into each other. kolizja
- condensation [N-UNCOUNT-U15] Condensation is the formation of liquid from a vapor. kondensacja, skraplanie

condenser [N-COUNT-U7] A condenser is a device that changes gas to liquids or solids. skraplacz

- **conductivity** [N-UNCOUNT-U1] **Conductivity** is the degree to which a substance can permit the flow of electricity. przewodność
- conductor [N-COUNT-U1] A conductor is an object or substance that permits the flow of electricity through something. przewodnik
- continuity detector [N-COUNT-U2] A continuity detector is small hand-held tool used to check if a wire carries current. wykrywacz przerw w przewodzie
- **continuous track** [N-COUNT-U8] A **continuous track** is a metal belt attached to a vehicle that is propelled along the ground by two wheels in order to move the vehicle. gasienicowy układ bieżny
- continuously variable transmission [N-UNCOUNT-U13] A continuously variable transmission is a transmission system that lacks fixed gears and can change into an infinite number of gear ratios. wariator, bezstopniowa skrzynia biegów

crane [N-COUNT-U9] A crane is a machine with a long arm that is used to move large or heavy objects. dźwig

- crimper [N-COUNT-U2] A crimper is a small hand-held tool used to bend the end of a wire into a connector. szczypce do obciskania
- current [N-COUNT-U1] A current is a flow of electrical charge. prad

damper [N-COUNT-U6] A damper is a valve that controls the flow of air through a duct. przepustnica

data link connector [N-COUNT-U15] A data link connector (DLC) is a slot into which mechanics can plug in to receive information on a car's systems. złącze danych

DC [N-UNCOUNT-U1] DC (Direct Current) is a flow of electric current that always moves in the same direction. prąd stały

## Glossary

- **degreaser** [N-UNCOUNT-U12] **Degreaser** is a chemical solution used to break down grease in cleaning and working on engine and vehicle parts. środek odtłuszczający
- **dent** [N-COUNT-U12] A **dent** is a concave imperfection in the surface of something usually caused by a collision with something else. **wgniecenie**

deposit [N-COUNT-U4] A deposit is a solid substance that forms in improperly stored fuel. osad

diagnostic equipment [N-UNCOUNT-U8] Diagnostic equipment is computerized equipment that is used to determine the cause of machine problems without requiring the machine to be disassembled. sprzęt diagnostyczny

dismantle [V-T-U9] To dismantle something is to separate the parts of something. rozmontować

electric car [N-COUNT-U14] An electric car is an automobile that is powered by electricity. samochód elektryczny

- electric motor [N-COUNT-U14] An electric motor is a device that changes electrical energy into power that is used to move a car. silnik elektryczny
- electricity [N-UNCOUNT-U1] Electricity is a form of energy based on the transfer of electrons. elektryczność

electronic measurement system [N-COUNT-U11] An electronic measurement system is a network of devices used to determine the proper alignment of a vehicle through a reading of electronic pulses. elektroniczny system pomiarowy

- evaporative cooler [N-COUNT-U7] An evaporative cooler is a system that cools the air through water evaporation. chłodnica wyparna
- excavator [N-COUNT-U9] An excavator is a machine that is used to dig large holes. koparka

excessive [ADJ-U4] If something is excessive, it is more than what is usual or expected. nadmierny

fan coil unit [N-COUNT-U6] A fan coil unit is a device that controls the temperature in a room or small space without the use of ducts. The unit contains a heating or cooling mechanism and a fan to distribute the air. konwektor wentylatorowy

farmer [N-COUNT-U8] A farmer is a person who operates or works on a farm. rolnik

- filter [N-COUNT-U6] A filter is a part of a ventilation system that cleans air by catching particles of dirt and dust as the air passes through. filtr
- fish tape [N-UNCOUNT-U2] Fish tape is a band of spring steel used to guide wire through a wall. pilot
- flashlight [N-COUNT-U2] A flashlight is a small hand-held tool used to shine a beam of light. latarka
- float bowl [N-COUNT-U4] A float bowl is a compartment in a carburetor into which fuel is pumped for immediate use by the engine. komora pływakowa
- fork tube [N-COUNT-U3] Fork tubes are a pair of tubes forming the motorcycle's front suspension and connecting the front wheel to the frame. widelec (przedniego koła motocykla)

frame [N-COUNT-U11] A frame is the main skeleton of an automobile, to which the engine, wheels and body are attached. rama

- frame [N-COUNT-U3] A frame is the body of a motorcycle to which all other main parts are attached. rama
- frame rack [N-COUNT-U11] A frame rack is an automotive lift to raise a vehicle above the ground so that it can be more easily worked on. podnośnik
- fuel contamination [N-UNCOUNT-U4] Fuel contamination is the process in which improperly stored fuel is spoiled as deposits and varnish form. zanieczyszczenie paliwa
- fuel stabilizer [N-COUNT-U4] A fuel stabilizer is an additive that prevents fuel from becoming stale and leaving deposits. stabilizator paliwa
- fuel tank [N-COUNT-U3] A fuel tank is the part of the motorcycle that stores fuel used by the engine. zbiornik paliwa

furnace [N-COUNT-U5] A furnace is a container that produces heat. piec

gas heater [N-COUNT-U5] A gas heater is a type of furnace that produces heat by burning gas. grzejnik gazowy generator [N-COUNT-U13] A generator is a machine that makes electricity. generator

give out [V-PHRASAL-U4] If a piece of equipment gives out, it breaks or becomes unusable. popsuć się

- grader [N-COUNT-U9] A grader is a machine that is used to create a particular slope along the ground's surface. równiarka
- greasy [ADJ-U15] If something is greasy, it has a layer of oil or similar substance on it. zatłuszczony

gun [N-COUNT-U10] A gun is the part of a welding torch that is held during welding. uchwyt pistoletowy

- handlebars [N-COUNT-U3] Handlebars are a bar with grips on the ends used to steer a motorcycle. kierownica (motocykla)
- harvester [N-COUNT-U8] A harvester is a farm machine that collects a crop from where the crop is grown. żniwiarka
- heat [N-UNCOUNT-U7] Heat is the amount of warmth an object has. ciepłota, ciepło
- heat exchanging pipes [N-COUNT-U7] Heat exchanging pipes are tubes used in cooling systems to move hot and cold gases in and out of the system. rury wymiany ciepła
- heating system [N-COUNT-U5] A heating system is a utility for making and keeping a building warm. system grzewczy
- high voltage connector [N-COUNT-U2] A high voltage connector is a connector wire used for voltages above 500V. przewód wysokiego napięcia
- hook [N-COUNT-U11] A hook is a curved or bent piece of metal, such as those attached to a tool board, on which tools can be hung. hak
- humidity [N-UNCOUNT-U6] Humidity is the amount of moisture that is present in the air. wilgotność
- **hybrid** [N-COUNT-U13] A **hybrid** is a vehicle that has both an electric motor and a gasoline or diesel engine. pojazd z napędem hybrydowym
- hydraulic pump [N-COUNT-U8] A hydraulic pump is a pump that uses energy from flowing water to create power. pompa hydrauliczna
- hydraulic shears [N-COUNT-U9] Hydraulic shears are a tool powered by hydraulics that are used to cut through metal. nożyce hydrauliczne
- hydraulics [N-UNCOUNT-U8] Hydraulics is the science of using water or other liquids to create power or movement. hydraulika
- ice machine [N-COUNT-U7] An ice machine is a device that freezes water into ice. lodownik
- inflate [V-T-U4] To inflate a tire is to force air into it. napompować
- install [V-T-U5] To install something is to put or attach something in a particular place. zainstalować
- insulator [N-COUNT-U1] An insulator is an object or substance that stops electricity from passing through something. izolator
- irrigation system [N-COUNT-U8] An irrigation system is a process for distributing water to farmland. system irygacyjny / nawadniający
- **laser measurement system** [N-COUNT-U11] A **laser measurement system** is a set of devices used to determine proper alignment of a vehicle using lasers. **laserowy system pomiarowy**
- **lithium ion battery** [N-COUNT-U13] A **lithium ion battery** is a type of rechargeable electrical storage device used on many hybrids. **akumulator litowo-jonowy**
- **magnetism** [N-UNCOUNT-U1] **Magnetism** is the motion of electric charge that results in attracting and repulsing forces between objects. magnetyzm
- maintain [V-T-U5] To maintain something is to keep something working properly, often by regularly repairing or replacing parts. utrzymywać, konserwować
- manufacturer specifications [N-COUNT-U11] Manufacturer specifications are the details, dimensions, and compatibility characteristics of a machine or part as published by the manufacturer. specyfikacje producenta
- masking [N-UNCOUNT-U12] Masking is material placed over surfaces adjacent to those being painted in order to protect them from overspray. maskowanie
- mechanical exhaust [N-COUNT-U6] A mechanical exhaust is a system for removing odors or moisture from the air in a particular space. wentylacja wymuszona mechanicznie

## Glossary

- mechanical measurement system [N-COUNT-U11] A mechanical measurement system is a set of devices used to determine proper alignment of a vehicle using measurements of physical dimensions and positions. mechaniczny system pomiarowy
- MIG welder [N-COUNT-U10] An MIG welder is a machine that uses a power source to feed inert gas and a wire electrode through a welding gun to perform metal inert gas welding. spawarka o luku zwartym (MIG)
- miles per charge [N-COUNT-U14] Miles per charge is the number of miles a driver can expect to drive an electric car, when the battery is full of electrical power. liczba mil na jedno ładowanie
- motorcycle [N-COUNT-U3] A motorcycle is a two-wheeled mechanized vehicle. motocykl
- multimeter [N-COUNT-U2] A multimeter is small hand-held device used to measure voltage, current, and resistance. miernik uniwersalny
- ohm [N-COUNT-U1] An ohm is a unit used in measuring electrical resistance. om
- oil-fired [ADJ-U5] If something is oil-fired, it produces heat by burning oil. opalany olejem
- onboard charger [N-COUNT-U14] An onboard charger is a device built into an electric car that supplies electricity to the battery to fill it with power. ładowarka pokładowa
- on-board diagnostic system [N-COUNT-U15] An on-board diagnostic system is a computer program that monitors a car's systems and reports malfunctions. pokładowy układ diagnostyczny
- on-site [ADJ-U9] If something is on-site, it is at the place where normal business happens. na miejscu
- overspray [N-UNCOUNT-U12] Overspray is the unintended application of paint to surfaces other than those being painted. zamalowanie powierzchni nieprzeznaczonych do malowania
- package unit [N-COUNT-U6] A package unit is an air conditioner with its evaporator coil and condensing mechanism combined into one unit that is installed indoors. klimatyzator kompaktowy, wewnętrzny
- **paint** [V-T-U12] To **paint** something is to cover its surface with a colored substance such as paint, in order to protect it and affect its appearance. **malować**
- parallel hybrid [N-COUNT-U13] A parallel hybrid is a type of hybrid vehicle in which the gasoline engine and electric motor can be used at the same time or separately to power the vehicle. pojazd z równoległym napędem hybrydowym
- paving machine [N-COUNT-U9] A paving machine is a machine that is used to lay asphalt or concrete along the ground. rozściełacz do asfaltu
- photovoltaic [ADJ-U14] If a device is photovoltaic, it is able to produce electricity when exposed to light such as the sun. fotowoltaiczny
- planter [N-COUNT-U8] A planter is a farm machine that is used to put seeds in the ground. sadzarka
- plasma cutter [N-COUNT-U10] A plasma cutter is a tool for cutting metal by using intensely concentrated heat. przecinarka plazmowa
- plug-in hybrid [N-COUNT-U13] A plug-in hybrid is a type of hybrid vehicle that can be plugged into an electrical socket to charge its battery and has increased electrical storage capacity. pojazd hybrydowy z możliwością podłączenia do gniazda zasilania
- **pollutant** [N-COUNT-U6] A **pollutant** is a substance that causes something, such as air, to be dirty or unsafe. substancja powodująca zanieczyszczenie
- **power puller** [N-COUNT-U11] A **power puller** is a machine for pushing and pulling an auto frame, wheels and or steering apparatus when doing alignment or frame repair. ściągarka do osiowania
- primer [N-UNCOUNT-U12] Primer is a substance applied to a surface before it is painted to improve the adhesion of the paint and better protect the surface being painted. podkład
- pull [V-I-U15] To pull is to move in a direction without being intentionally steered that way. ciągnąć
- pump [N-COUNT-U5] A pump is a device that moves heat from one area to another. pompa
- radiator [N-COUNT-U5] A radiator is a device that produces heat when hot water or steam circulates through its pipes. kaloryfer
- **range** [N-COUNT-U14] A **range** is the estimated distance an electric car can travel on one complete battery charge. zasięg

rattle [N-COUNT-U15] A rattle is a series of hard sounds. klekotanie, grzechotanie

**reassemble** [V-T-U9] To **reassemble** something is to put the parts of something together after it has been dismantled. ponownie zmontować

- **refinish** [V-T-U12] To **refinish** something is to repair its outer surface and aspects of its appearance including paint. wykonać obróbkę wykończeniową, by zlikwidować uszkodzenia powierzchni
- **refrigerant** [N-COUNT-U7] A **refrigerant** is a liquid used in cooling systems. As it evaporates, heat is reduced and the air gets cooler. **chłodziwo**
- refrigeration [N-UNCOUNT-U7] Refrigeration is a process that is used to cool or freeze something. zamrażanie
- refrigerator [N-COUNT-U7] A refrigerator is an appliance or room that keeps food or other items cold. lodówka regenerative braking system [N-COUNT-U13] A regenerative braking system is a braking system that recovers
- energy generated during braking and stores it for use in the electric motor. **układ hamulcowy rekuperacyjny repair** [V-T-U5] To **repair** something is to make something work properly, especially after it has been broken.

naprawić

resistance [N-UNCOUNT-U1] Resistance is the power of something to stop the flow of electricity. opór

- **respirator** [N-COUNT-U10] A **respirator** is a mask designed to prevent its wearer from inhaling harmful chemicals. maska oddechowa
- ring terminal [N-COUNT-U2] A ring terminal is a flat metal ring-shaped connector through which a screw is passed. końcówka pierścieniowa
- ripper [N-COUNT-U9] A ripper is a part of a bulldozer that is used to break up hard material. spulchniacz
- rust [N-UNCOUNT-U12] Rust is any number of iron oxides, often reddish in color, that form as iron or steel corrodes in the presence of oxygen and water. rdza
- **sand** [V-T-U12] To **sand** something is to rub a surface with abrasive sand paper in order to make it smooth. szlifować (papierem ściernym)
- service life [N-COUNT-U8] A service life is the period of time that a machine is expected to be functional before it wears out or becomes too old to use. trwałość użytkowa
- **shaft drive** [N-COUNT-U3] A **shaft drive** is type of drive train that uses a shaft to transfer power from the engine to the rear wheel. **układ przenoszenia napędu za pomocą wału**
- shift lever [N-COUNT-U3] A shift lever is a part that a motorcycle driver presses to change gears. dźwignia zamiany biegów
- **shock absorber** [N-COUNT-U3] A **shock absorber** is a part of the rear suspension of a motorcycle, that dampens the effects of driving on an uneven road surface. **amortyzator**
- side stand [N-COUNT-U3] A side stand is a metal leg that pivots down from the side of a motorcycle and is used to prop up the motorcycle when not in use. nóżka boczna motocykla
- side-cutting pliers [N-COUNT-U2] Side-cutting pliers are a small hand-held tool used to make a diagonal cut in a wire. szczypce z bocznymi nożami
- **slag** [N-UNCOUNT-U10] **Slag** is molten metal or metal residue that solidifies around a joint after welding. żużel **slippery** [ADJ-U15] If something is **slippery**, it has little friction and items slide over it easily. śliski
- smoke [N-UNCOUNT-U15] Smoke is a cloud of particles produced when something burns. dym
- smooth [ADJ-U12] If something is smooth, it is of an even and uniform texture without bumps. gładki
- solar panel [N-COUNT-U14] A solar panel is a device that can convert the sun's light into electrical energy. płyta ogniwa słonecznego
- **soldering iron** [N-COUNT-U2] A **soldering iron** is a small hand-held tool used to melt metal to connect wires together or to surfaces. **kolba lutownicza**
- **spade terminal** [N-COUNT-U2] A **spade terminal** is a two-pronged flat metal connector through which a screw is passed. końcówka widełkowa
- spray booth [N-COUNT-U12] A spray booth is a room with ventilation and paint nozzles built into the walls and/or ceiling so that paint can be applied to a vehicle driven into the room. komora natryskowa

- split system [N-COUNT-U6] A split system is an air conditioner with its evaporator coil indoors and its condensing mechanism outdoors. układ klimatyzacji typu split
- spray gun [N-COUNT-U12] A spray gun is the nozzle for applying paint to automobiles. pistolet natryskowy
- **sprocket teeth** [N-PL-U4] **Sprocket teeth** are the points on a sprocket that grab the chain and transfer energy to the wheel. zęby koła łańcuchowego
- squeal [N-COUNT-U15] A squeal is a long, high-pitched sound. skrzypienie, piszczenie
- stale gas [N-UNCOUNT-U4] Stale gas is fuel that has formed deposits and varnish. zwietrzałe paliwo
- stick welder [N-COUNT-U10] A stick welder is a simple type of welder that joins metal by striking an arch between a consumable electrode and the work piece. spawarka elektrodowa
- swingarm [N-COUNT-U3] A swingarm is a part of the rear suspension of a motorcycle, that connects the rear wheel to a motorcycle's frame, and pivots vertically to absorb shock. tylny widelec (obrotowy)
- tail pipe emissions [N-COUNT-U14] Tail pipe emissions are gases that are produced by a gasoline- or dieselpowered engine. The tail pipe is the tube at the back of the car that carries the emissions away from the engine. emisja spalin z rury wydechowej
- thermostat [N-COUNT-U5] A thermostat is a device that adjusts the amount of heat in a room according to a desired temperature setting. termostat
- **throttle** [N-COUNT-U3] A **throttle** is a device that a driver uses to control the amount of fuel sent to a motorcycle's engine. **przepustnica**
- **TIG welder** [N-COUNT-U10] A **TIG welder** is a machine that uses a constant current power source, a nonconsumable tungsten electrode, and inert gas to bond metals such as stainless steel, aluminum, magnesium, and copper alloys. spawarka do spawania metodą TIG
- tiller [N-COUNT-U8] A tiller is a farm machine that prepares the ground for growing crops. kultywator
- tire wear [N-UNCOUNT-U4] Tire wear is the process in which tires lose their outer layers of rubber. zużycie opony
- tool board [N-COUNT-U11] A tool board is a specially designed board with hooks on which to hang automotive tools. płyta narzędziowa
- **torch** [N-COUNT-U10] A **torch** is the part of a welder that is held in the hand during welding. It includes a control switch, a contact tip, a gas nozzle, an electrode conduit, and a gas hose. **palnik spawalniczy**
- tractor [N-COUNT-U8] A tractor is a machine that pulls equipment on a farm. traktor
- triple tree [N-COUNT-U3] A triple tree is a part that holds the two fork tubes together. potrójne drzewko
- troubleshoot [V-T-U15] To troubleshoot a problem is to evaluate evidence in order to identify and solve it. rozwiązywać problem
- **two-mode hybrid** [N-COUNT-U13] A **two-mode hybrid** is a type of hybrid that operates like a parallel hybrid at low speeds and at higher speeds uses both a motor and an engine to maximize efficiency. pojazd z napędem hybrydowym, zmienianym w zależności od prędkości
- unit ventilator [N-COUNT-U6] A unit ventilator is a type of fan coil unit that is mounted on a wall or window and draws air from outside the room. klimakonwektor wentylatorowy
- **UV light** [N-UNCOUNT-U10] **UV (ultra violet) light** is electromagnetic radiation invisible to humans, with a wavelength slightly shorter than that of the visible color violet. It is produced during welding and can be harmful to the skin and eyes. światło nadfioletowe
- vapor [N-UNCOUNT-U15] Vapor is a visible cloud or collection of liquid particles in the air. para
- varnish [N-UNCOUNT-U4] Varnish is a substance that is left behind when gasoline evaporates and degrades. pokost
- ventilation [N-UNCOUNT-U6] Ventilation is the process of letting fresh air flow through an area such as a room or building. wentylacja
- vibrate [V-I-U15] To vibrate is to shake rapidly. wibrować, drgać
- voltage [N-COUNT-U1] A voltage is a measurement of the power in an electric current. napięcie
- voltage connector [N-COUNT-U2] A voltage connector is a small device used to connect two or more electrical wires. łącznik napięciowy
- walk-in cooler [N-COUNT-U7] A walk-in cooler is a room-sized space equipped with a cooling system that is used to keep food cold. pomieszczenie chłodnia

water heater [N-COUNT-U5] A water heater is a container that stores and heats water. podgrzewacz wody watery [ADJ-U15] If a liquid is watery, it is thin and clear. wodnisty

- welding [N-UNCOUNT-U10] Welding is the bonding of two metal surfaces by melting or compressing them together. spawanie
- welding helmet [N-COUNT-U10] A welding helmet is a protective hood worn over the face and head during welding to prevent exposure of the skin and eyes to excessive heat, sparks, and ultraviolet light. maska spawalnicza
- wheel aligner [N-COUNT-U11] A wheel aligner is a machine for measuring various aspects of a vehicle's wheels, frame, and axles in order to determine proper alignment. urządzenie do badania zbieżności kół
- wire [N-COUNT-U2] A wire is long, thin, cylindrical piece of metal (often with a protective coating) used to carry electricity. drut, przewód
- wire feeder [N-COUNT-U10] A wire feeder is a machine that provides smooth wire feed for certain welding applications. podajnik drutu
- wire stripper [N-COUNT-U2] A wire stripper is a small hand-held tool used to remove the outer covering of a wire. kleszcze do usuwania izolacji