- **above the fold** [ADJ-U4] If content on a website is **above the fold**, it is visible without scrolling down after the page has loaded. widoczny na ekranie po załadowaniu strony
- ad product [N-COUNT-U4] An ad product is an advertising opportunity such as a banner that is located on a website. boks reklamowy
- ADM [ABBREV-U12] An ADM (Automated Dispensing Machine) is a hospital machine that measures out specific amounts of medication into containers. automatyczny dozownik lekarstw
- anchor [N-COUNT-U3] An anchor is a word, phrase, or image that includes a hyperlink and can be used for navigation. kotwica, etykieta
- animated GIF [N-COUNT-U4] An animated GIF is the combination of multiple GIF files in one advertisement to create animation. animowany plik graficzny
- anti-antivirus virus [N-COUNT-U7] An anti-antivirus virus is a computer virus that attacks and often disables antivirus software. wirus atakujący programy antywirusowe
- Apple[®] [N-UNCOUNT-U1] Apple[®] is the company that produces Mac[®]s and other computing products. korporacja zajmująca się projektowaniem i produkcją sprzętu i oprogramowania komputerowego, m.in. komputerów Mac
- **applet** [N-COUNT-U3] An **applet** is a small application that is embedded in another web application often as a plug-in. aplet (rodzaj programu komputerowego)
- attack [N-COUNT-U9] An attack is an attempt to get through computer security. atak
- audit log [N-COUNT-U9] An audit log is a record of who has accessed a computer system and what actions they took. dziennik kontroli; zapis przebiegu przetwarzania danych
- authenticated [ADJ-U9] If software or a program, process etc. is authenticated, it is legitimate or genuine. uwierzytelniony
- automation [N-UNCOUNT-U5] Automation is the use of electronically controlled systems to perform tasks without human assistance. automatyzacja
- back end [ADJ-U15] If something is back end, it occurs at the end of a project or job. wewnętrzny, wyjściowy
- backdoor [N-COUNT-U9] A backdoor is a hidden way to get by security in computers and programs. They are usually built into software. luka w zabezpieczeniach systemu
- **backup** [N-UNCOUNT-U10] A **backup** is the creation of a duplicate copy of data that is stored on a separate hard drive or computer system to prevent the loss of the data. robić kopię zapasową
- bar coding [N-UNCOUNT-U12] Bar coding is a system in which doctors scan medicines and match them to patients. system oznaczania lekarstw przypisanych do konkretnych pacjentów
- **Basecamp**[®] [N-UNCOUNT-U6] **Basecamp**[®] is a web-based project management tool offered by the company 37 signals and that can be accessed by multiple users simultaneously. program zdalnego zarządzania projektami
- block [V-T-U10] To block something is to prevent access to it. blokować
- bug [N-COUNT-U9] A bug is a flaw or error in software or hardware. błąd w kodzie programu komputerowego
- CAD [ABBREV-U3] CAD (Computer-Aided Design) is the use of a computer to design things such as machines or buildings. projektowanie wspomagane komputerowo
- **CAM** [ABBREV-U5] **CAM** (Computer Aided Manufacturing) is the use of computers to control production equipment. produkcja wspomagana komputerowo
- campaign [N-COUNT-U4] A campaign is an agreement between an advertising company and a client that outlines which types of advertisements are to be used, where they are to be placed, and how long they will appear. kampania
- card scanning [N-UNCOUNT-U8] Card scanning is the practice of capturing the personal information stored on credit cards, debit cards, or passports. skanowanie kart
- **CBT** [ABBREV-U3] **CBT** (Computer-Based Training) is a type of training or education in which students practice working on programs using a computer. nauczanie wspomagane komputerowo
- CDN [ABBREV-U11] A CDN (Content Delivery Network) is a system of computers on a network containing copies of data that nearby users can access. sieć obsługująca dostarczanie treści
- CDSS [ABBREV-U12] CDSS (Clinical Decision Support System) is a system that helps doctors diagnose problems. It also suggests treatment options. kliniczny system wspomagania decyzji
- centralize [V-T-U6] To centralize things is to bring them from multiple places and make them available in one location. centralizować

- click-through rate [N-COUNT-U4] The click-through rate is the ratio of clicked advertisements to the number of advertisements that are viewed. współczynnik klikalności (w reklamę internetową)
- click tracking [N-UNCOUNT-U4] Click tracking is the process of counting and keeping track of the number of clicks an advertisement receives. statystyka kliknięć
- **color-coding** [N-UNCOUNT-U6] **Color-coding** is the practice of labeling things with different colors in order to tell them apart. oznakowanie kolorystyczne
- **color matching** [N-UNCOUNT-U1] **Color matching** is the ability to create colors as you see them on the screen. dostosowywanie kolorów
- command line [N-COUNT-U2] A command line is a word or phrase that makes a computer perform an operation. wiersz polecenia
- **commission** [N-COUNT-U4] A **commission** is the amount of money charged by a website for hosting advertisements. prowizja
- component [N-COUNT-U15] A component is a part of something bigger. składnik, komponent
- configure [V-T-U14] To configure something is to modify or arrange it so that it works in a certain way. konfigurować
- **cover letter** [N-COUNT-U14] A **cover letter** is a document that explains why a person is applying for a job and why that person believes he or she is qualified for that job. list motywacyjny
- **CPC** [ABBREV-U4] **CPC** (Cost Per Click-Through) is a pricing model wherein rates are charged according to how many clicks an advertisement receives. płatność za pojedyncze kliknięcie (w reklamie internetowej)
- **CPM** [ABBREV-U4] **CPM** (Cost Per 1,000 Impressions) is a pricing model wherein rates are charged according to how many thousands of people view the advertisement. koszt dotarcia z reklamą internetową do tysiąca jej adresatów
- **CPOE** [ABBREV-U12] **CPOE** (Computerized Provider Order Entry) is a system that lets a doctor fill out electronic orders. komputerowy system rejestracji zaleceń lekarskich
- customize [V-T-U1] To customize something is to change it to meet your individual needs and purposes. dostosować
- cyber [ADJ-U8] If something is cyber, it is related to computers or the Internet. cyber-
- cyber criminal [N-COUNT-U10] A cyber criminal is a person who uses computers and the Internet to commit crimes such as identity theft and fraud. przestępca internetowy
- dashboard [N-COUNT-U6] A dashboard is a display on a computer that shows commonly or recently used files and programs. tablica rozdzielcza
- **deployment** [N-UNCOUNT-U11] **Deployment** is installing and running new software into a group of hardware. wdrażanie **detect** [V-T-U10] To **detect** something is to discover it. wykrywać
- duty [N-COUNT-U14] A duty is a task that someone is responsible for completing at a job. obowiązek

editor [N-COUNT-U15] An editor is a program that is used to create and change files. edytor

- egress filter [N-COUNT-U13] An egress filter prevents harmful software from leaving a network. filtr połączeń wychodzących
- **EHR** [ABBREV-U12] An **EHR** (Electronic Health Record) is a computerized version of a patient's health record. komputerowa karta pacjenta
- elasticity [N-UNCOUNT-U11] Elasticity is a computer system's ability to gain or lose computer resources as a user sees fit. elastyczność gromadzenia danych
- electronic bulletin board [N-COUNT-U3] An electronic bulletin board is an online communication center or computer server that runs software and enables users to share files or information electronically. elektroniczna tablica ogłoszeń
- embedded system [N-COUNT-U5] An embedded system is a combination of hardware and software designed to perform a specific task. system wbudowany
- **EMM** [ABBREV-U12] **EMM** (Electronic Materials Management) is a system that helps hospitals keep track of medications and medical supplies. elektroniczny system zarządzania lekarstwami i materiałami medycznymi
- encoder [N-COUNT-U5] Encoders are devices that convert mechanical information into electronic signals. urządzenie kodujące
- Ethernet network [N-COUNT-U5] An Ethernet network is a high-speed network that links computers together. sieć Ethernet

- false negative [N-COUNT-U10] A false negative is a case when antivirus software incorrectly indicates that an infected file is clean. omyłkowe sklasyfikowanie zainfekowanego pliku jako "zdrowy"
- false positive [N-COUNT-U10] A false positive is a case when antivirus software incorrectly indicates that a clean file has been infected with a computer virus. omyłkowe sklasyfikowanie "zdrowego" pliku jako zainfekowanego
- FAQs [ABBREV-U3] A FAQs (Frequently Asked Questions) section is a list of common questions with their answers. często zadawane pytania
- fault tolerant [N-UNCOUNT-U5] Fault tolerant is the ability to continue functioning even though an error has occurred. odporny na problemy
- file archiving [N-UNCOUNT-U14] File archiving is the process of organizing computer files in an orderly way. This lets you retrieve them easily. archiwizacja plików
- firewall [N-COUNT-U9] A firewall is a program that restricts access on a network. zapora sieciowa
- Flash[®] [N-UNCOUNT-U3] Flash[®] is a media format that can be used to add videos, animations, and other media to a website. Flash (technologia tworzenia animacji komputerowych)
- free software license [N-COUNT-U2] A free software license allows users to change and distribute programs. licencja darmowego oprogramowania
- frequency capping [N-UNCOUNT-U4] Frequency capping is the process of ensuring that a specific website visitor does not see the same advertisement an excessive number of times. ograniczenie częstotliwości pokazywania tej samej reklamy
- gallery [N-COUNT-U6] A gallery is a collection of icons or pictures that have been organized in a file or page. galeria
- **geo targeting** [N-UNCOUNT-U4] **Geo targeting** is the process of showing advertisements in geographical areas where they are relevant. targetowanie geograficzne
- hacker [N-COUNT-U7] A hacker is a person who exploits computer hardware and software for their own purposes. haker hang [V-T-U4] To hang a website is to prevent it from loading all the way. zawiesić
- host computer [N-COUNT-U7] A host computer is a computer that allows other computers to have access to a network via several means (e.g. software, network address, etc.). komputer główny
- **IaaS** [ABBREV-U11] **IaaS** (Infrastructure as a Service) is a cloud computing service that delivers servers, storage and networking resources. usługa polegająca na dostarczeniu przez dostawcę infrastruktury informatycznej
- imbed [V-T-U7] If something imbeds itself into something else, it becomes part of it. wbudować
- implanted microchip [N-COUNT-U12] An implanted microchip is a tiny device in a person's body that releases specific amounts of medicine. wszczepiony mikroczip
- in real time [PHRASE-U6] If information is updated or shown in real time, it is updated or shown at the same time as new information is received. w czasie rzeczywistym
- infect [V-T-U7] To infect a computer is to contaminate it with a computer virus. zainfekować
- ingress filter [N-COUNT-U13] An ingress filter prevents harmful software from entering a network. filtr połączeń przychodzących
- install [V-T-U14] To install something is to add a new component or program to a computer or system. instalować
- integrated circuit [N-COUNT-U5] An integrated circuit is a small chip that has several electronic devices attached to it. układ scalony
- interactive [ADJ-U15] If something is interactive, it will respond to a user's commands. interaktywny
- **interoperability** [N-UNCOUNT-U12] **Interoperability** is the ability to easily send or combine electronic health data from one system into another. współdziałanie
- intruder [N-COUNT-U9] An intruder is a person or program that attempts to access a network or computer without permission. intruz (osoba lub program usiłujący bez zezwolenia uzyskać dostęp do danych)
- keylogger [N-COUNT-U9] A keylogger is a type of trojan or virus that tracks what keystrokes are entered into a computer. keylogger (koń trojański śledzący znaki wpisywane na klawiaturze)
- **keyword** [N-COUNT-U13] A **keyword** is a term or phrase that is created to describe a webpage, so that it can be found in a search engine. słowo kluczowe
- **lab-on-a-chip** [N-COUNT-U12] A **lab-on-a-chip** is a tiny device that holds cells and fluid that a doctor can analyze easily. układ miniaturowej aparatury diagnostycznej umieszczony na czipie

latency [N-UNCOUNT-U5] Latency is the time between the end of one computer communication and the start of another. opóźnienie (czas między wysłaniem żądania a otrzymaniem odpowiedzi)

Linux® [N-UNCOUNT-U2] Linux® is a computer operating system. system operacyjny Linux

Linux® distribution [N-COUNT-U2] A Linux® distribution is a collection of software for Linux®. dystrybucja Linuxa

log in [V-I-U7] To log in is to provide a computer security system with the proper identification to use the computer. zalogować się

Mac® [N-COUNT-U1] A Mac® (Macintosh) is a type of computer from Apple®. typ komputera produkcji firmy Apple

malware [N-UNCOUNT-U8] Malware is any type of malicious, harmful software, whose aim is to destroy or steal data. złośliwe oprogramowanie

- mask [V-COUNT-U13] To mask information is to block it from being viewed. maskować
- media player [N-COUNT-U3] A media player is software for playing media such as videos and animations and can be embedded in a webpage. odtwarzacz plików dźwiękowych i filmowych
- message board [N-COUNT-U6] A message board is an online application that displays and organizes messages from users. tablica
- microrobotic tweezers [N-COUNT-U12] Microrobotic tweezers are very tiny tweezers that allow a doctor to operate in extremely small or delicate areas. automatyczna mikropęseta chirurgiczna
- Microsoft Office[®] [N-UNCOUNT-U2] Microsoft Office[®] is a software package that offers word processing, spreadsheet programs, etc. pakiet biurowy firmy Microsoft
- Microsoft® [N-UNCOUNT-U1] Microsoft® is the company that produces the Windows® operating system among other products. Microsoft (producent systemów operacyjnych i oprogramowania)
- Microsoft Teams® [N-UNCOUNT-U6] Microsoft Teams® is a type of video conferencing software available online. Microsoft Teams (oprogramowanie do wideokonferencji online)
- **MPEG** [ABBREV-U3] **MPEG** (Moving Picture Experts Group) is a digital audio/video format that is used to compress videos into smaller files. format zapisu danych zawierających obraz i dźwięk
- multimedia [N-UNCOUNT-U3] Multimedia is any type of media used on a webpage, including images, animations, audios and videos. multimedia
- **natural language** [N-UNCOUNT-U13] **Natural language** is the use of phrases from normal speech in search engines. język naturalny
- **open source** [ADJ-U2] If software is **open source** (OSS), its rights are distributed with its source code from the copyright holder enabling users to customize it (i.e. copy, change, develop, redistribute it) to match their needs. o otwartym kodzie źródłowym
- open system [N-COUNT-U5] An open system is a system that can use many different types of machines. otwarty system komputerowy
- **OpenOffice**[®] [N-UNCOUNT-U2] **OpenOffice**[®] is an open-source software package similar to Microsoft Office[®]. pakiet biurowy OpenOffice
- optic scanner [N-COUNT-U12] An optic scanner is a device that reads and records identification labels on medications. skaner optyczny
- OS X[®] [N-UNCOUNT-U1] OS X[®] is an operating system from Apple[®] for Mac[®] computers. system operacyjny dla komputerów Macintosh (10. wersja)
- oscilloscope [N-COUNT-U5] An oscilloscope is a device that allows the user to view the electrical voltage of a machine. oscyloskop
- overwriting virus [N-COUNT-U7] An overwriting virus is a computer virus that copies its code over and destroys the files of the original data. wirus nadpisujący
- PaaS [ABBREV-U11] PaaS (Platform as a Service) is a cloud computing service where users receive an operating system and related components (e.g. servers, storage, networks, databases) over the Internet. usługa polegająca na udostępnieniu przez dostawcę wirtualnego środowiska pracy
- **PACS** [ABBREV-U12] **PACS** (Picture Archiving and Communications System) is a system that captures and stores medical images from different sources. system archiwizacji obrazów i danych medycznych

- patch [N-COUNT-U9] A patch is a piece of code that is used to fix a flaw, error or vulnerability in a computer program. poprawka do programu komputerowego
- pay-as-you-go [ADJ-U11] If a software is pay-as-you-go, it is purchased as it is needed by the customer. placenie za wykorzystane zasoby
- PC [ABBREV-U1] A PC (Personal Computer) refers to a computer that runs a Windows[®] operating system. komputer osobisty
- PCI compliance [N-UNCOUNT-U13] If someone is in PCI (Payment Card Industry) compliance, they follow security procedures when accepting credit cards and other cards online; security issues regard user authentication, encryption, vulnerability testing, etc. standardy bezpieczeństwa dla płatności za pomocą kart
- performance tuning [N-UNCOUNT-U14] Performance tuning is the act of adjusting a network or system so that it works as efficiently as possible. ulepszenie działania systemu
- pharming [N-UNCOUNT-U8] Pharming is a process wherein thieves reroute people to a fake website that appears to be legitimate in order to trick them into giving away their personal information. przekierowanie do fałszywej strony internetowej w celu wyłudzenia poufnych informacji
- phishing [N-UNCOUNT-U8] Phishing is a process wherein thieves trick people into giving away their personal information through email and other apps. phishing (wyłudzanie poufnych informacji osobistych przez podszywanie się pod jakąś osobę lub instytucję)
- **PHP** ABBREV-U15] **PHP** (PHP: Hypertext Preprocessor) is a scripting language that is used to create dynamic webpages. język programowania PHP
- piggybacking [N-UNCOUNT-U7] Piggybacking is the act of accessing a password-protected system or a wireless LAN without authorization. uzyskiwanie nielegalnego dostępu do internetu za pomocą cudzego połączenia
- **pop-up** [N-COUNT-U9] A **pop-up** is an advertisement that suddenly appears in a new window in an Internet browser. reklama wyskakująca na stronie internetowej
- prepress [ADJ-U1] A prepress process relates to the procedures of page layout, typesetting etc. before final printing. faza produkcyjna wyrobów poligraficznych
- pretexting [N-UNCOUNT-U8] Pretexting is a process wherein thieves trick people into giving away their personal information over the phone. wyłudzanie poufnych informacji przez telefon
- priority inversion [N-COUNT-U5] A priority inversion is a delay that occurs in a computer system when a low-priority task is dealt with before a high-priority task. inwersja priorytetów
- private cloud [N-COUNT-U11] A private cloud is a cloud computing service offered to specific users who have purchased it and is not available publicly. prywatna (płatna, skierowana do konkretnych odbiorców) chmura obliczeniowa
- processing speed [N-COUNT-U1] Processing speed is a measurement of how quickly a computer can perform tasks. szybkość przetwarzania
- programmer [N-COUNT-U15] A programmer is someone who writes computer programs. programista
- protocol [N-UNCOUNT-U9] Protocol is a set of rules that must be followed for the sake of security. protokół
- public cloud [N-COUNT-U11] A public cloud is a cloud computing service offered for any users on the Internet. publiczna (płatna, skierowana do ogółu użytkowników) chmura obliczeniowa
- purge [V-T-U14] To purge data or files is to delete them from a computer. wyczyścić
- **quarantine** [V-T-U10] To **quarantine** something is to place it in complete isolation where it cannot access or infect anything else. poddawać kwarantannie
- redesign [V-T-U13] To redesign a website is to change, add, or delete certain elements, but keep others. przeprojektować
- redundancy [N-UNCOUNT-U5] Redundancy is the inclusion of duplicate components in a system to maintain production when one component fails. nadmiarowość
- reliability [N-UNCOUNT-U3] Reliability is the probability that something will function properly and without any failures. niezawodność
- replicate [V-T-U7] To replicate something is to make copies of it. replikować, powielać
- resident extension [N-COUNT-U7] A resident extension is an add-on to a computer virus that causes it to become part of the host computer's operating system. część programu aktywna po jego zakończeniu

- **resident virus** [N-COUNT-U7] A **resident virus** is a computer virus that becomes part of a file or disk drive but does nothing until activated by a trigger event. **wirus rezydentny**
- **résumé** [N-COUNT-U14] A **résumé** is a document that shows a person's education, work history and qualifications and is used when applying for jobs. życiorys
- **root directory** [N-UNCOUNT-U13] The **root directory** is the main directory of a file system and is where all other branches of the system come from. katalog główny
- **rootkit** [N-COUNT-U10] A **rootkit** is a type of computer virus that is created to gain total control over a computer system by overwriting parts of its operating system. narzędzie ukrywające niebezpieczne pliki i procesy, które umożliwiają utrzymanie kontroli nad systemem
- SaaS [ABBREV-U11] SaaS (Software as a Service) is a cloud computing service where users receive subscription-based applications over the Internet instead of buying and installing them. usługa polegająca na dystrybucji oprogramowania, przechowywanego i udostępnianego przez interne
- Samba[®] [N-UNCOUNT-U2] Samba[®] is open-source software and a useful tool for users who have both Windows® and Unix® systems on their local network. It allows Unix®, Linux®, Mac OS X, and other systems to interact with Windows® in order for a user to share files and use shared devices (e.g. printers). serwer plików i drukarek przeznaczony dla platformy Linux
- scalability [N-UNCOUNT-U11] Scalability is a system's ability to change size or expand as needed in a given situation. skalowalność
- scanner [N-COUNT-U8] A scanner is a device used to capture the personal information stored on credit cards, debit cards, and passports. czytnik
- script [N-COUNT-U15] A script is a group of commands to be carried out automatically by the OS or application. skrypt
- security breach [N-UNCOUNT-U9] Security breach refers to a security violation. naruszenie bezpieczeństwa
- security software [N-UNCOUNT-U10] Security software is software that keeps a computer safe from threats such as computer viruses and cyber crimes. oprogramowanie zabezpieczające
- Skype[™] [N-UNCOUNT-U6] Skype[™] is software than enables people to call one another using computers rather than telephones. Skype, forma telefonu internetowego
- **spyware** [N-UNCOUNT-U8] **Spyware** is a type of computer program that gathers information about someone's web surfing habits without their knowledge. program szpiegujący
- sweep [V-T-U10] To sweep a computer system is to search it for computer viruses. wyczyścić
- system administrator [N-COUNT-U14] A system administrator is a person whose job is to manage and maintain a computer system. administrator systemu
- TCP/IP protocol [N-COUNT-U2] A TCP/IP protocol is a set of rules that determine how a computer connects to a network or the Internet. protokół sterowania transmisją w sieci
- technical [ADJ-U14] Something that is technical involves information from the areas of science and industry. techniczny
- telecommuting [N-UNCOUNT-U6] Telecommuting or teleworking is working at a location away from a main office (such as home) by using technology (e.g. Internet, telephone, email). praca zdalna
- terminal [N-COUNT-U2] A terminal is a computer that allows users to input command lines. terminal
- toggle [V-I-U6] To toggle is to move from one file or setting to another. przełączać
- tour [N-COUNT-U6] A tour is a series of webpages that offer information about a product or site. zestaw stron oferujących informacje na temat produktu
- **Trojan horse** [N-COUNT-U8] A **Trojan horse** is a computer program that appears to be beneficial but is actually malicious as it may track down password information or destroy a user's software and data. koń trojański
- troubleshooting [N-UNCOUNT-U14] Troubleshooting refers to the process of identifying and fixing technical problems. wykrywanie i usuwanie usterek
- **trust logo** [N-COUNT-U13] A **trust logo** is a seal that appears on a webpage and means that the security of information on that page is assured by an accredited company. logo systemu zaufanego
- typography [N-UNCOUNT-U1] Typography is a computer's use of typefaces. typografia

- **Unix**[®] [N-UNCOUNT-U14] **Unix**[®] is a specific type of computer operating system. Servers often use this operating system. system operacyjny Unix
- user-friendly [ADJ-U15] If something is user-friendly, it is easy to access and use. przyjazny dla użytkownika
- utility computing [N-UNCOUNT-U11] Utility computing is a way of selling computer use as a metered service like water and electricity, where customers pay per usage. usługa polegająca na udostępnianiu komputerów na godziny
- vendor [N-COUNT-U2] A vendor is someone who distributes programs and utilities. sprzedawca
- video subsystem [N-COUNT-U1] A video subsystem is the part of the computer that presents the visuals on the screen. podsystem wideo
- virus [N-COUNT-U7] A virus is a harmful computer program file that takes up residence in a computer without the owner's knowledge or permission. wirus komputerowy
- virus removal software [N-UNCOUNT-U10] Virus removal software is software that destroys computer viruses, removing them from the files they have infected. oprogramowanie do usuwania wirusów
- Visual Basic [N-UNCOUNT-U15] Visual Basic is a simple programming language with a graphical component. język programowania z komponentem graficznym
- web developer [N-COUNT-U15] A web developer is someone who builds a website. twórca stron internetowych
- webpage analysis [N-UNCOUNT-U10] Webpage analysis is a process wherein the security of a website is determined in order to help computer users know whether or not the website is safe. analiza bezpieczeństwa stron internetowych
- web portal [N-COUNT-U13] A web portal is a webpage that displays information gathered from several different places. portal internetowy
- web-based [ADJ-U6] If something is web-based, it is available on the Internet instead of on a disk. dostępne w internecie
- Windows[®] [N-UNCOUNT-U1] Windows[®] is the operating system created by Microsoft[®] that is used on many PCs. system operacyjny Windows
- **worm** [N-COUNT-U8] A **worm** is a type of malicious software that replicates itself through emails in order to consume storage and resources or use up network bandwidth. **robak**
- **XML** [ABBREV-U15] **XML** (Extensive Markup Language) is a programming language that is used to encode webpages. rozszerzalny język znaczników
- Zoom[®] [N-UNCOUNT-U6] Zoom[®] is a type of video conferencing software available online. Zoom (oprogramowanie do wideokonferencji online)