- above the fold [ADJ-U4] If something on a website is **above the fold**, it is visible without scrolling down after the page has loaded. widoczny na ekranie po załadowaniu strony
- ad product [N-COUNT-U4] An **ad product** is an advertising opportunity such as a banner that is located on a website. **boks reklamowy**
- ADM [N-COUNT-U12] An ADM (Automated Dispensing Machine) is a hospital machine that measures out specific amounts of medication into containers. automatyczny dozownik lekarstw
- anchor [N-COUNT-U3] An **anchor is** a word, phrase, or image that includes a hyperlink and can be used for navigation. kotwica, etykieta
- animated GIF [N-COUNT-U4] An animated GIF is the combination of multiple GIF files in one advertisement to create animation. animowany plik graficzny
- anti-antivirus virus [N-COUNT-U7] An **anti-antivirus virus** is a computer virus that attacks and often disables anti-virus software. wirus atakujacy programy antywirusowe
- anti-virus software [N-UNCOUNT-U10] **Anti-virus software** searches a computer system for computer viruses. program antywirusowy
- Apple® [N-UNCOUNT-U1] Apple® is the company that produces Macs® and other computing products. amerykańska korporacja zajmująca się projektowaniem i produkcją sprzętu i oprogramowania komputerowego, m.in. komputerów Mac
- applet [N-COUNT-U3] An applet is a small application that is embedded in a webpage. aplet (rodzaj programu komputerowego)
- attack [N-COUNT-U9] An attack is an attempt to get through computer security. atak
- audit log [N-COUNT-U9] An **audit log** is a record of who has accessed a computer system and what actions they took. dziennik kontroli; zapis przebiegu przetwarzania danych
- authenticate [V-TRANS-U9] To authenticate something is to make sure that it is legitimate. uwierzytelnić
- Automation [NOUN-UNCOUNT-U5] **Automation** is the use of programmed machines to perform tasks without human assistance. **automatyzacja**
- back end [ADJ-U15] If something is back end, it occurs at the end of a project or job. wewnetrzny, wyjściowy
- backdoor [N-COUNT-U9] A backdoor is a hidden way to get by security in computers and programs, sometimes intentionally created. luka w zabezpieczeniach systemu
- backup [V-T-U10] To **backup** is to create a duplicate copy of data that is stored on a separate hard drive or computer system to prevent the loss of the data. **robić kopię zapasową**
- bar coding [N-UNCOUNT-U12] **Bar coding** is a system in which doctors scan medicines and match them to patients. system oznaczania lekarstw przypisanych do konkretnych pacjentów
- Basecamp[®] [N-UNCOUNT-U6] **Basecamp**[®] is a program offered by the company 37 signals that organizes projects and can be accessed by multiple users simultaneously. program zdalnego zarządzania projektami
- block [V-T-U10] To block something is to prevent access to it. blokować
- blog [N-U13] A blog is a personal website that is maintained by an individual. blog
- bug [N-COUNT-U9] A bug is a flaw in a computer program. błąd w kodzie programu komputerowego
- CAD [N-UNCOUNT-U3] CAD (Computer-Aided Design) is the use of a computer to design things such as machines or buildings. projektowanie wspomagane komputerowo
- campaign [N-COUNT-U4] A campaign is an agreement between an advertising company and a client that outlines which types of advertisements are to be used, where they are to be placed, and how long they will appear. kampania

- card scanning [N-UNCOUNT-U8] **Card scanning** is the practice of capturing the personal information stored on credit cards, debit cards, or passports. **skanowanie kart**
- CBT [N-UNCOUNT-U3] CBT (Computer-Based Training) is the use of a computer to train employees. nauczanie wspomagane komputerowo
- CDN [N-COUNT-U11] A CDN (content delivery network) is a system of computers on a network containing copies of data that nearby users can access. sieć obsługująca dostarczanie treści
- CDSS [N-UNCOUNT-U12] CDSS (Clinical Decision Support System) is a system that helps doctors diagnose problems. It also suggests treatment options. kliniczny system wspomagania decyzji
- centralize [V-T-U6] To centralize things is to bring from multiple places and make them available in one location.
- click tracking [N-UNCOUNT-U4] **Click tracking** is the process of counting and keeping track of the number of clicks an advertisement receives. **statystyka kliknięć**
- click-through rate [N-COUNT-U4] The **click-through rate** is the ratio of clicked advertisements to the number of advertisements that are viewed. współczynnik klikalności (w reklamę internetową)
- cloud computing [N-UNCOUNT-U11] Cloud computing is use of the Internet for software and other resources. chmura obliczeniowa
- color matching [N-UNCOUNT-U1] **Color matching** is the ability to create colors as you see them on the screen. dostosowywanie kolorów
- color-coding [N-UNCOUNT-U6] **Color-coding** is the practice of labeling things with different colors in order to tell them apart. oznakowanie kolorystyczne
- command line [N-COUNT-U10] A **command line** is a word or phrase that makes a computer perform an operation. wiersz polecenia
- commission [N-COUNT-U4] A commission is the amount of money charged by a website for hosting advertisements. prowizia
- component [N-COUNT-U15] A component is a part of something bigger. składnik, komponent
- Computer Aided Manufacturing [NOUN-UNCOUNT-U5] Computer Aided Manufacturing is the use of computers to control production equipment. produkcja wspomagana komputerowo
- configure [V-T-U14] To configure something is to modify or arrange it so that it works in a certain way. konfigurować
- cover letter [N-COUNT-U14] A cover letter is a document that explains why a person is applying for a job and why that person believes he or she is qualified for that job. list motywacyjny
- CPC [N-UNCOUNT-U4] CPC (cost per click-through) is a pricing model wherein rates are charged according to how many clicks an advertisement receives. płatność za kliknięcie (w reklamie internetowej)
- CPM [N-UNCOUNT-U4] CPM (cost per 1,000 impressions) is a pricing model wherein rates are charged according to how many thousands of people view the advertisement. płatność za kliknięcie (w reklamie internetowej)
- CPOE [N-UNCOUNT-U12] CPOE (Computerized Provider Order Entry) is a system that lets a doctor fill out electronic orders. komputerowy system rejestracji zaleceń lekarskich
- customize [V-TRANS-U1] To **customize** something is to change it to meet your individual needs and purposes. dostosować
- cyber [ADJ-U8] If something is cyber, it is related to computers or the Internet. cyber-
- cyber criminal [N-COUNT-U10] A **cyber criminal** is a person who uses computers and the Internet to commit crimes such as identity theft and fraud. **przestępca internetowy**
- dashboard [N-COUNT-U6] A dashboard is a display on a computer that shows commonly or recently used files and programs. tablica rozdzielcza

- deployment [N-UNCOUNT-U11] Deployment is introducing new software into a group of hardware. wdrażanie
- detect [V-T-U10] To detect something is to discover it. wykrywać
- duty [N-COUNT-U14] A duty is a task that someone is responsible for completing at a job. obowiązek
- DVD [N-COUNT-U3] A DVD (Digital Video Disc) is a storage disc that is read by a laser and can store media files such as videos and images. plyta DVD
- editor [N-COUNT-U15] An editor is a program that is used to create and change files. edytor
- egress filter [N-COUNT-U13] An egress filter prevents harmful software from leaving a network. filtr połączeń wychodzących
- EHR [N-COUNT-U12] An EHR (Electronic Health Record) is a computerized version of a patient's health record. komputerowa karta pacjenta
- elasticity [N-COUNT-U11] **Elasticity** is a computer system's ability to gain or lose computer resources as a user sees fit. elastyczność gromadzenia danych
- electronic bulletin board [N-COUNT-U3] An **electronic bulletin board** is a shared file that can be used to spread information. elektroniczna tablica ogłoszeń
- embedded system [N-COUNT-U5] An **embedded system** is a combination of hardware and software designed to perform a specific task. **system wbudowany**
- EMM [N-UNCOUNT-U12] EMM (Electronic Materials Management) is a system that helps hospitals keep track of medications and medical supplies. elektroniczny system zarządzania lekarstwami i materiałami medycznymi
- Encoder [NOUN-COUNT-U5] **Encoders** are devices that convert mechanical information into electronic signals. urządzenie kodujące
- Ethernet network [NOUN-COUNT-U5] An **Ethernet network** is a high-speed network that links computers together. sieć Ethernet
- false negative [N-COUNT-U10] A false negative is when anti-virus software incorrectly indicates that an infected file is clean. omyłkowe sklasyfikowanie zainfekowanego pliku jako "zdrowy"
- false positive [N-COUNT-U10] A false positive is when anti-virus software incorrectly indicates that a clean file has been infected with a computer virus. omyłkowe sklasyfikowanie "zdrowego" pliku jako zainfekowanego
- FAQ [N-COUNT-U3] A FAQs (Frequently Asked Questions) section is a list of common questions with their answers. często zadawane pytania
- fault tolerant [NOUN-UNCOUNT-U5] **Fault tolerant** is the ability to continue functioning even though an error has occurred. **odporny na problemy**
- file archiving [N-UNCOUNT-U14] **File archiving** is the process of organizing computer files in an orderly way. This lets you retrieve them easily. **archivizacja plików**
- firewall [N-COUNT-U9] A firewall is a program that restricts access on a network. zapora sieciowa
- flash [N-UNCOUNT-U3] **Flash** is a media format that can be used to add videos, animations, and other media to a website. Flash (technologia tworzenia animacji komputerowych)
- fraud [N-UNCOUNT-U8] Fraud is an action that results in the loss of another person's property. oszustwo
- free software license [N-COUNT-U10] A free software license allows users to change and distribute programs. licencja darmowego oprogramowania
- frequency capping [N-UNCOUNT-U4] **Frequency capping** is the process of ensuring that a specific website visitor does not see the same advertisement an excessive number of times. ograniczenie częstotliwosci pokazywania tej samej reklamy
- gallery [N-COUNT-U6] A gallery is a collection of icons or pictures that have been organized in a file or page. galeria

geo targeting [N-UNCOUNT-U4] **Geo targeting** is the process of showing advertisements in geographical areas where they are relevant. targetowanie geograficzne

GUI [N-UNCOUNT-U15] A GUI (graphical user interface) is how a user interacts with a computer using images and text. graficzny interfejs użytkownika

hacker [N-COUNT-U7] A hacker is a person who exploits computer hardware and software for their own purposes. haker

hang [V-T-U4] To hang a website is to prevent it from loading all the way. zawiesić

host [N-COUNT-U7] A host is a computer system that has a computer virus attached to it. komputer główny

HTML [N-UNCOUNT-U15] **HTML** (hypertext markup language) is a way to alter the look of text on web pages. hipertekstowy język znaczników (język do tworzenia stron www)

laaS [N-UNCOUNT-U11] laaS (infrastructure as a service) delivers such elements as servers and software over the Internet. usługa polegająca na dostarczeniu przez dostawcę infrastruktury informatycznej

identity theft [N-UNCOUNT-U8] **Identity theft** is the process of stealing another person's personal information and using it for personal gain. **kradzież tożsamości**

imbed [V-T-U7] To imbed is to become a part of something. wbudować

implanted microchip [N-COUNT-U12] An **implanted microchip** is a tiny device in a person's body that releases specific amounts of medicine. wszczepiony mikroczip

infect [V-T-U7] To infect a computer is to contaminate it with a computer virus. zainfekować

ingress filter [N-COUNT-U13] An ingress filter prevents harmful software from entering a network. filtr połączeń przychodzących

install [V-T-U14] To install something is to add a new component or program to a computer or system. instalować

integrated circuit [N-COUNT-U5] An **integrated circuit** is a small chip that has several electronic devices attached to it. **układ scalony**

interactive [ADJ-U15] If something is interactive, it will respond to a user's commands. interaktywny

interface [N-COUNT-U10] An interface provides a way for a user to interact with a computer. interfejs

interoperability [N-UNCOUNT-U12] Interoperability is the ability to easily send or combine electronic health data from one system into another. współdziałanie

intruder [N-COUNT-U9] An intruder is a person or program that attempts to access a network or computer without permission. intruz (usiłujący bez zezwolenia dostać się do plików danych)

keylogger [N-COUNT-U9] A **keylogger** is a type of trojan virus that tracks what keystrokes are entered into a computer. keylogger (koń trojański śledzący znaki wpisywane na klawiaturze)

keyword [N-UNCOUNT-U13] A keyword is a term or phrase that is created to describe a webpage, so that it can be found in a search engine. słowo kluczowe

lab-on-a-chip [N-COUNT-U12] A lab-on-a-chip is a tiny device that holds cells and fluid that can be analyzed easily. układ miniaturowej aparatury diagnostycznej umieszczony na czipie

latency [NOUN-UNCOUNT-U5] Latency is the time between the end of one computer communication and the start of another. opóźnienie (czas między wysłaniem żądania a otrzymaniem odpowiedzi)

Linux[®] [N-UNCOUNT-U10] Linux[®] is a computer operating system. system operacyjny Linux

Linux[®] distribution [N-COUNT-U10] A Linux[®] distribution is a collection of software for Linux[®]. dystrybucja Linuxa

log in [V-I-U7] To log in is to provide a computer security system with the proper identification to use the computer. zalogować się

Mac[®] [N-COUNT-U1] A Mac[®] (Macintosh) is a type of computer from Apple[®], typ komputera produkcji firmy Apple

- malware [N-UNCOUNT-U8] Malware is any type of malicious, harmful software. złośliwe oprogramowanie
- mask [V-COUNT-U13] To mask information is to block it from being viewed. maskować
- media player [N-COUNT-U3] A media player is used to play media such as videos and animations and can be embedded in a web page. odtwarzacz plików dźwiękowych i filmowych
- message board [N-COUNT-U6] A message board is an online application that displays and organizes messages from users. tablica
- microrobotic tweezers [N-COUNT-U12] Microrobotic tweezers are very tiny tweezers that allow a doctor to operate in extremely small or delicate areas. automatyczna mikropęseta chirurgiczna
- Microsoft Office® [N-UNCOUNT-U10] Microsoft Office® is a software package that offers word processing and spreadsheet programs. pakiet biurowy firmy Microsoft
- Microsoft[®] [N-UNCOUNT-U1] **Microsoft**[®] is the company that produces the Windows[®] operating system among other products. Microsoft (producent systemów operacyjnych i oprogramowania)
- MPEG [N-UNCOUNT-U3] MPEG is a video format that is used to compress videos into smaller files. format zapisu danych zawierających obraz i dźwięk
- multimedia [N-UNCOUNT-U3] Multimedia is any type of media used on a webpage, including images, animations, and videos. multimedia
- natural language [N-UNCOUNT-U13] **Natural language** is the use of phrases from normal speech in search engines. język naturalny
- open source [ADJ-U10] If software is **open source**, it can be distributed with the same basic source code. **o otwartym** kodzie źródłowym
- open system [NOUN-COUNT-U5] An **open system** is a system that can use many different types of machines. **otwarty** system komputerowy
- OpenOffice[®] [N-COUNT-U10] **OpenOffice**[®] is an open source software package similar to Microsoft Office[®]. **pakiet biurowy OpenOffice**
- optic scanner [N-COUNT-U12] An **optic scanner** is a device that reads and records identification labels on medications. skaner optyczny
- OS X[®] [N-UNCOUNT-U1] **OS X**[®] is an operating system from Apple[®] for Mac[®] computers. system operacyjny dla komputerów Macintosh (10 wersja)
- oscilloscope [NOUN-COUNT-U5] An **oscilloscope** is a device that allows the user to view the electrical voltage of a machine. **oscyloskop**
- overwriting virus [N-COUNT-U7] An **overwriting virus** is a computer virus that copies its code over and destroys the files of the original data. **oscyloskop**
- PaaS [N-UNCOUNT-U11] PaaS (platform as a service) is a service where users receive a computing operating system and related components over the Internet. usługa polegająca na udostępnieniu przez dostawcę wirtualnego środowiska pracy
- PACS [N-UNCOUNT-U12] PACS (Picture Archiving and Communications System) is a system that captures and stores medical images from different sources. system archivizacji obrazów i danych medycznych
- patch [N-COUNT-U9] A **patch** is a piece of code that is used to fix a flaw in a computer program. **poprawka do programu komputerowego**
- pay as you go [N-UNCOUNT-U11] Pay as you go is a model for payment where customers pay according to how much they use a resource. płacenie za wykorzystane środki
- PC [N-COUNT-U1] A PC (personal computer) refers to a computer that runs a Windows® operating system. komputer osobisty

- PCI compliance [N-U13] PCI (payment card industry) compliance is upholding certain security standards for accepting credit and other payment cards. standardy bezpieczeństwa dla płatności za pomocą kart
- performance tuning [N-UNCOUNT-U14] **Performance tuning** is the act of adjusting a network or system so that it works as efficiently as possible. ulepszenie działania systemu
- pharming [N-UNCOUNT-U8] **Pharming** is a process wherein thieves reroute people to a fake website that appears to be legitimate in order to trick them into giving away their personal information. **przekierowanie do fałszywej strony internetowej w celu wyłudzenia poufnych informacji**
- phishing [N-UNCOUNT-U8] **Phishing** is a process wherein thieves trick people into giving away their personal information through email. phishing (wyłudzanie poufnych informacji osobistych przez podszywanie się pod jakąś osobę lub instytucję)
- PHP [N-UNCOUNT-U15] PHP is a scripting language that is used to create dynamic web pages. język programowania PHP
- piggyback [V-I-U7] To **piggyback** is to gain unauthorized access to a computer system by taking advantage of the owner's legitimate connection. uzyskanie nielegalnego dostępu do internetu za pomocą cudzego połączenia
- popup [N-COUNT-U9] A **popup** is an advertisement that suddenly appears in a new window in an Internet browser. reklama wyskakująca na stronie internetowej
- prepress [N-COUNT-U1] **Prepress** is the process of preparing a document, magazine or book to be printed on a large scale. faza produkcyjna wyrobów poligraficznych
- pretexting [N-UNCOUNT-U8] **Pretexting** is a process wherein thieves trick people into giving away their personal information over the phone. wyłudzanie poufnych informacji przez telefon
- priority inversion [NOUN-COUNT-U5] A **priority inversion** is a delay that occurs in a computer system when a low-priority task is dealt with before a high-priority task. inwersja priorytetów
- private cloud [N-COUNT-U11] A **private cloud** is a service offered to specific users who have purchased it and is not available publicly. **prywatna** (**płatna**, **skierowana do konkretnych odbiorców**) **chmura obliczeniowa**
- processing speed [N-COUNT-U1] **Processing speed** is a measurement of how quickly a computer can perform tasks. szybkość przetwarzania
- programmer [N-COUNT-U15] A programmer is someone who writes computer programs. programista
- protocol [N-COUNT-U9] Protocol is a set of rules that must be followed for the sake of security. protokół
- public cloud [N-COUNT-U11] A public cloud is a service offered for any users on the Internet. publiczna (płatna, skierowana do ogółu społeczeństwa) chmura obliczeniowa
- purge [V-T-U14] To purge is to delete files or data from a computer. wyczyścić
- quarantine [V-T-U10] To quarantine something is to place it in complete isolation where it cannot access or infect anything else. poddawać kwarantannie
- real time [ADJ-U6] If information is updated or shown in **real time**, it is updated or shown at the same time as new information is received. **czas rzeczywisty**
- redesign [V-COUNT-U13] To **redesign** a website is to change, add, or delete certain elements, but keep others. przeprojektować
- redundancy [NOUN-UNCOUNT-U5] Redundancy is the inclusion of duplicate components in a system to maintain production when one component fails. nadmiarowość
- reliability [N-UNCOUNT-U3] Reliability is the probability that something will function properly and without any failures.
- replicate [V-T-U7] To replicate is to make copies of oneself. replikować, powielać

- resident extension [N-COUNT-U7] A resident extension is an add-on to a computer virus that causes it to become a part of the host computer's operating system. część programu aktywna po jego zakończeniu
- resident virus [N-COUNT-U7] A **resident virus** is a computer virus that becomes part of a file or disk drive but does nothing until activated by a trigger event. **wirus rezydentny**
- résumé [N-COUNT-U14] A **résumé** is a document that shows a person's education, work history and qualifications and is used when applying for jobs. życiorys
- root directory [N-COUNT-U13] The **root directory** is the main directory of a file system and is where all other branches of the system come from. **katalog główny**
- rootkit [N-COUNT-U10] A **rootkit** is a type of computer virus that is created to gain total control over a computer system by overwriting parts of its operating system. narzędzie ukrywające niebezpieczne pliki i procesy, które umożliwiają utrzymanie kontroli nad systemem
- SaaS [N-UNCOUNT-U11] SaaS (software as a service) is a service where users receive applications over the Internet instead of buying and installing them. usługa polegająca na dystrybucji oprogramowania, przechowywanego i udostępnianego przez internet
- Samba[®] [N-UNCOUNT-U10]Samba[®] is a Linux[®] program that allows Linux[®] to act as a client on a Windows[®]-based network. serwer plików i drukarek przeznaczony dla platformy Linux
- scalability [N-COUNT-U11] Scalability is a system's ability to change size as needed in a given situation. skalowalność
- scanner [N-COUNT-U8] A **scanner** is a device used to capture the personal information stored on credit cards, debit cards, and passports. **czytnik**
- script [N-COUNT-U15] A script is a group of commands to be carried out automatically. skrypt
- security [N-UNCOUNT-U9] Security is a the state of being safe from attack. zabezpieczenie, bezpieczeństwo
- security software [N-UNCOUNT-U10] **Security software** is software that keeps a computer safe from threats such as computer viruses and cyber crimes. **oprogramowanie zabezpieczające**
- Skype™ [N-UNCOUNT-U6] Skype™ is software than enables people to call one another using computers rather than telephones. Skype, forma telefonu internetowego
- spyware [N-UNCOUNT-U8] **Spyware** is a type of computer program that gathers someone's personal information without their knowledge. **program szpiegujący**
- sweep [V-T-U10] To sweep a computer system is to search it for computer viruses. wyczyścić
- system administrator [N-COUNT-U14] A system administrator is a person whose job is to manage and maintain a computer system. administrator systemu
- TCP/IP protocol [N-COUNT-U10] A TCP/IP protocol is a set of rules that determine how a computer connects to a network or the Internet. protokół sterowania transmisją w sieci
- technical [ADJ-U14] Something that is **technical** involves information from the areas of science and industry. **techniczny**
- telecommute [V-I-U6] To **telecommute** is to work at a location away from a main office by using technology. **pracować** zdalnie
- terminal [N-COUNT-U3] A terminal is a computer that allows users to input command lines. terminal
- toggle [V-I-U6] To toggle is to move from one file or setting to another. przełączać
- tour [N-COUNT-U6] A tour is a series of web pages that offer information about a product or site. zestaw stron oferujących informacje na temat produktu
- Trojan horse [N-COUNT-U8] A **Trojan horse** is a computer program that appears to be beneficial but is actually malicious. koń trojański

- troubleshooting [N-UNCOUNT-U14] **Troubleshooting** refers to the process of identifying and fixing technical problems. wykrywanie i usuwanie usterek
- trust logo [N-COUNT-U13] A **trust logo** is a seal that appears on a web page and means that the security of information on that page is assured by an accredited company. logo systemu zaufanego
- typography [N-COUNT-U1] Typography is a computer's use of typefaces. typografia
- Ubuntu[®] [N-UNCOUNT-U10] **Ubuntu**[®] is an operating system based on Linux. dystrybucja systemu operacyjnego, głównie do zastosowań biurowych i domowych
- Unix[®] [N-UNCOUNT-U14] Unix[®] is a specific type of computer operating system. Servers often use this operating system. system operacyjny Unix
- user-friendly [ADJ-U15] If something is user-friendly, it is easy to access and use. przyjazny dla użytkownika
- utility computing [N-UNCOUNT-U11] **Utility computing** is a way of selling computer use as a metered service like water and electricity. usługa polegająca na udostępnianiu komputerów na godziny
- vendor [N-COUNT-U10] A vendor is someone who distributes programs and utilities. sprzedawca
- video subsystem [N-COUNT-U1] The **video subsystem** is the part of the computer that presents the visuals on the screen. **podsystem wideo**
- virus [N-COUNT-U7] A **virus** is a harmful computer program file that takes up residence in a computer without the owner's knowledge or permission. **wirus komputerowy**
- virus removal software [N-UNCOUNT-U10] Virus removal software destroys computer viruses, removing them from the files they have infected. oprogramowanie do usuwania wirusów
- visual basic [N-UNCOUNT-U15] **Visual basic** is a simple programming language with a graphical component. język programowania z komponentem graficznym
- web developer [N-COUNT-U15] A web developer is someone who builds a website. twórca stron internetowych
- web page analysis [N-UNCOUNT-U10] **Web page analysis** is a process wherein the security of a website is determined in order to help computer users know whether or not the website is safe. analiza bezpieczeństwa stron internetowych
- web portal [N-COUNT-U13] A **web portal** is a webpage that displays information gathered from several different places. **portal internetowy**
- web-based [AD-U6] If something is web-based, it is available on the Internet instead of on a disk. dostępne w internecie
- Windows[®] [N-UNCOUNT-U1] **Windows**[®] is the operating system created by Microsoft[®] that is used on many PCs. system operacyjny Windows
- worm [N-COUNT-U8] A worm is a type of malicious software that replicates itself through emails. robak
- XML [N-COUNT-U15] XML (extensive markup language) is a programming language that is used to encode web pages. rozszerzalny język znaczników