Glossary

accommodate [V-T-U4] If something can accommodate something else, it has enough capacity. pomieścić coś

- adapter [N-COUNT-U15] An adapter is a device that allows devices with different types of connectors to be linked together. przejściówka
- aerial service [N-COUNT-U3] An aerial service refers to a service entrance that is installed outside a building. przyłącze napowietrzne
- amperage [N-UNCOUNT-U7] Amperage is the measurement of electrical current, expressed in amperes or amps. amperaż
- analyze [V-T-U7] To analyze something is to carefully examine the nature of something. analizować
- **appliance** [N-COUNT-U7] An **appliance** is an electric machine that is used for a particular household purpose. **urządzenie (sprzęt domowy)**
- balance [V-T-U7] To balance something is to make each side of something equal. równoważyć
- baseboard [N-COUNT-U15] A baseboard covers the gap between the wall and the floor. listwa przypodłogowa
- blade connector [N-COUNT-U1] A blade connector is a single wire connection in which a blade is inserted into the blade's holder. rodzaj łącznika
- **blown fuse** [N-COUNT-U6] A **blown fuse** is a fuse in which the metal strip has melted to stop the flow of electricity. A blown fuse cannot be reused and must be replaced to restore the current. **spalony bezpiecznik**
- bond [V-T-U5] To bond something is to fasten two or more parts together. spajać (elementy)
- **bonding wire** [N-COUNT-U13] A **bonding wire** is a wire connected to the ground system. It is used to help form an electrically conductive path that allows an electrical current to flow uninterrupted. **przewód łączący**
- box extender [N-COUNT-U10] A box extender is a part that fits around a switch if the switch is not flush with the wall. ramka gniazda elektrycznego
- bracket [N-COUNT-U10] A bracket is an attachment that is used to secure something to a wall. wkret
- branch circuit [N-COUNT-U4] A branch circuit is a part of an electrical system that carries electricity from the main service panel to a particular area or fixture. obwód odbiorczy
- **breaker box** [N-COUNT-U14] A **breaker box** is an electrical box that distributes electricity through a house or building after passing through protective circuit breakers within the box. **szafka bezpiecznikowa**
- building code [N-COUNT-U2] A building code is a set of rules used for the structural safety of buildings. prawo budowlane
- buried service [N-COUNT-U3] A buried service refers to a service entrance that is installed underground. przyłącze podziemne
- **capacity** [N-UNCOUNT-U4] **Capacity** is the maximum amount of electricity that can flow through an appliance. **pojemność**
- cartridge fuse [N-COUNT-U6] A cartridge fuse is a fuse encased in a cylinder with metal caps on each end. bezpiecznik topikowy
- cheater plug [N-COUNT-U9] A cheater plug is an adapter that connects a plug with a grounding pin to an outlet without a grounding slot. przejściówka umożliwiająca łączenie wtyku z uziemieniem do gniazda bez odpowiedniego otworu
- circuit breaker [N-COUNT-U6] A circuit breaker is a switch that is tripped to stop electrical flow when it detects an excessive current. bezpiecznik automatyczny
- **clamp** [N-COUNT-U12] A **clamp** is a tool used to grasp two wires in order to conduct electricity through them. **krokodylek**
- clamp connector [N-COUNT-U1] A clamp connector uses a V-shaped ring to attach a connector to a cable. łącznik zaciskowy
- clearance [N-UNCOUNT-U3] Clearance is the required distance that must be maintained between a building and a utility. odstęp
- combustible [N-COUNT-U14] A combustible is an object that can catch on fire easily. material latwopalny
- commercial grade switch [N-COUNT-U11] A commercial grade switch is a heavy duty switch. It is used in large buildings and is higher in price. przełącznik dostosowany do działania w różnych warunkach
- component [N-COUNT-U5] A component is a small part of an electrical appliance. komponent

conduit [N-COUNT-U2] A **conduit** is a tube put around electrical wiring for protection and routing. **otulina kabla connector** [N-COUNT-U1] A **connector** is something that links two pieces of electrical equipment. **złącze**

consumption [N-UNCOUNT-U7] Consumption is the amount of something used. zużycie

continuous [ADJ-U5] If something is continuous, it exists without stopping or being broken. ciągły, stały

control [V-T-U10] To control something is to have power over the action or occurrence of something. kontrolować

- **corresponding** [ADJ-U7] If something is **corresponding**, it is related to or connected to something else. **odpowiadający**
- coverplate [N-COUNT-U10] A coverplate is a flat piece that fits around a switch to cover the wall cavity and switch box. pokrywa gniazda elektrycznego
- cut off [V PHRASE-T-U4] To cut off something is to stop or take away something abruptly. odcinać (np. dopływ)
- cut-in box [N-COUNT-U8] A cut-in box is a receptacle box that is used in a wall that has already been built. skrzynka na gniazda elektryczne wmontowywana w ścianę
- deep [ADJ-U8] Deep describes the space of something from the front of it to the back of it. głęboki
- **dimmer switch** [N-COUNT-U11] A **dimmer switch** allows for more control over a light setting. It changes the brightness of a light instead of simply turning it off or on. **ściemniacz**
- ditch [N-COUNT-U13] A ditch is a narrow trench that is made in the ground through digging. rów
- double pole breaker [N-COUNT-U6] A double pole breaker is a circuit breaker that is connected to two hot bus bars and supplies 240-volt power to a circuit. bezpiecznik dwubiegunowy
- double pole switch [N-COUNT-U11] A double pole switch is used to turn two independent circuits on or off at the same time. przełącznik dwubiegunowy
- draw [V-T-U7] To draw something is to bring something towards something else. przyciągać
- drip loop [N-COUNT-U3] A drip loop is a loop formed by incoming electrical wires that connect to a customer's building. pętla utworzona na przewodzie przyłącza
- drive [V-I-U13] To drive is to cause movement through some sort of force. spowodować ruch
- duplex outlet [N-COUNT-U9] A duplex outlet is an outlet that can receive two plug receptacles. gniazdo podwójne
- earth grounding system [N-COUNT-U12] An earth grounding system is an electrical system that measures the electrical capability of conductors against the electrical capability of the ground. system pomiaru uziemienia
- electrical fire [N-COUNT-U14] An electrical fire is a fire that starts from an electrical source. pożar instalacji elektrycznej
- electrical load [N-COUNT-U7] An electrical load is the total amount of power, or amperage, being drawn by an electrical panel. obciążenie elektryczne
- electrical metallic tubing [N-UNCOUNT-U2] Electrical metallic tubing is a type of conduit tubing made of coated steel or aluminum. metalowa otulina kabla
- equipment grounding conductor [N-COUNT-U12] An equipment grounding conductor is a conductor joining a piece of metal that does not conduct electricity to a grounding electrode conductor. uziemienie za pomocą listwy uziemiającej
- estimate [N-COUNT-U12] An estimate is a statement that tells someone how much money will be charged for someone else to do a certain amount of work. kosztorys
- evaluate [V-T-U14] To evaluate is to assess the state, usefulness or value of something. oceniać
- fail [V-I-U15] To fail is for a device to not operate or not operate properly. zawieść
- fault current [N-COUNT-U12] A fault current is an electrical current that is irregular in any way. For example, it may become disrupted at one point. prąd zmienny nieokresowy
- faulty [ADJ-U14] If an object or machine is faulty, it is not working properly. wadliwy
- feeder cable [N-COUNT-U5] A feeder cable is a wire that delivers electricity to a panel. kabel zasilający
- fixed wiring [N-UNCOUNT-U14] Fixed wiring is wiring that is fastened or connected to a wall or another object so that it will not move. instalacja stała
- flammable [ADJ-U15] If something is flammable, it will burst into flames when it gets very hot. latwopalny
- flexible [ADJ-U2] If a conduit is flexible, it can be bent in different directions. gietki, elastyczny
- flicker [V-I-U14] To flicker is to shine in a shaky way, or to change in brilliance. błyskać, migotać
- flush [ADJ-U10] If something is flush, its surface is level with the surface of something else. równy (z czymś)
- footer [N-COUNT-U13] A footer is connected to the grounding system using rebar. It is a low-resistance ground. uziemienie za pomocą prętu

Glossary

- four gang box [N-COUNT-U10] A four gang box is an electrical box installed in a wall that delivers power to four switches. gniazdo poczwórne
- four-way switch [N-COUNT-U11] A four-way switch allows a circuit to be controlled at three or more different locations. przełącznik poczwórny
- frayed [ADJ-U14] If an object is frayed, the end or edge of it is tattered or damaged so that the inside of the object is uncovered. wytarty, postrzępiony

function [N-COUNT-U4] A function is a purpose or intended use for something. funkcja

- **fuse** [N-COUNT-U6] A **fuse** is a device with a small metal strip that melts and stops electrical flow when an excessive current passes through it. **bezpiecznik**
- gadget [N-COUNT-U4] A gadget is a small electronic or electrical device. gadzet
- ground [V-T-U12] To ground is to link a circuit to the earth. uziemiać
- ground fault [N-COUNT-U12] A ground fault is the flow of electricity in a ground line because the electrical system has been damaged by a thunderstorm or something else. uplyw prądu do ziemi
- ground fault [N-COUNT-U6] A ground fault is an electrical malfunction in which a current gets into a ground conductor and often causes a short circuit. wada uziemienia
- ground rod [N-COUNT-U12] A ground rod is a pole that is put in the earth so that electricity will flow there. uziom
- ground wire [N-COUNT-U13] A ground wire is grounded and completes a circuit if a neutral wire fails. przewód uziemiający
- grounded [ADJ-U2] If a conduit is grounded, it is connected with the ground. uziemiony
- grounding conductor [N-COUNT-U5] A grounding conductor is a wire that keeps an electrical current stable by maintaining an electrical connection with the earth. przewód ochronny
- grounding electrode conductor [N-COUNT-U12] A grounding electrode conductor joins part of a system of electricity to other conductors, or electrodes. przewód uziemiający
- grounding pin [N-COUNT-U9] A grounding pin is a prong on some plugs that prevents electrical surges by maintaining a connection with the earth through a neutral wire. uziemienie (na wtyku)
- grounding screw [N-COUNT-U10] A grounding screw is a metal piece that grounds a metal coverplate. śruba uziemiająca
- grounding slot [N-COUNT-U9] A grounding slot is a receptacle on some outlets that receives the grounding pin. gniazdo na wtyczkę uziemiającą
- handy box [N-COUNT-U8] A handy box is a metal box that is sometimes used as a substitute receptacle box. metalowa skrzynka na gniazda elektryczne
- hook up [V PHRASE-U9] To hook up something is to install it. połączyć ze sobą (o urządzeniach elektrycznych)
- hot bus [N-COUNT-U4] A hot bus is the part of an electrical system that receives electricity from an electrical meter and delivers it to the service panel. szynoprzewód
- hot conductor [N-COUNT-U5] A hot conductor is a wire that carries electricity to a fixture or appliance. przewód pod napięciem
- ignite [V-T-U14] To ignite something is to set it on fire. podpalać
- immediate turn plug [N-COUNT-U9] An immediate turn plug is a plug with an electrical cord that lies against a wall instead of sticking straight out from the wall. It should be plugged in so that the cord hangs. wtyk, po którego połączeniu urządzenie jest uruchamiane od razu
- installation [N-COUNT-U2] An installation is the act of fitting an electrical appliance for use. instalacja
- insulation displacement connector [N-COUNT-U1] An insulation displacement connector allows for a wire to not be stripped before connecting. złącza o przemieszczanej izolacji
- integral nail box [N-COUNT-U8] An integral nail box is a lower-priced receptacle box that already has nail holes drilled into it. skrzynka na gniazdo elektryczne z otworami na gwoździe
- keyed switch [N-COUNT-U11] A keyed switch is an on/off switch that is controlled with a removable key. przełącznik na klucz
- main service panel [N-COUNT-U4] A main service panel is the part of an electrical system that controls the distribution of power to a particular house or building. rozdzielnica elektryczna
- main switch [N-COUNT-U4] A main switch is the part of a service panel that can cut off electricity to an entire house or building. główny przełącznik

- maintenance [N-UNCOUNT-U14] Maintenance is the care and protecting of an object in order to keep it working in good condition. utrzymanie
- malfunction [N-COUNT-U5] A malfunction is when an electrical appliance does not work property. awaria

manually [ADV-U4] If something is done manually, it is controlled by a person directly. recznie

- moisture tight fitting [N-COUNT-U2] A moisture tight fitting is a conduit made specifically to keep water out. otulina wodoszczelna
- mount [V-T-U8] To mount an object is to attach it to another object. zamontować
- narrow slot [N-COUNT-U9] A narrow slot is the smaller of the two rectangular slots in an electrical outlet. It connects to the prong that delivers a hot electrical current to the plug. mniejszy otwór gniazda elektrycznego (typu amerykańskiego) z podłączonym przewodem fazowym
- **neutral bus** [N-COUNT-U4] A **neutral bus** is the part of an electrical system that carries a current back to the service panel after the power has been spent. **przewód neutralny**
- **neutral return conductor** [N-COUNT-U5] A **neutral return conductor** is a wire that carries spent electrical current back to the electrical panel or subpanel. **przewód powrotny**
- non-corrosive [ADJ-U2] If a conduit is non-corrosive, it cannot be damaged by chemicals. odporny na korozję
- non-metallic tubing [N-UNCOUNT-U2] Non-metallic tubing is a type of conduit tubing made of plastic. otulina z tworzyw sztucznych
- offset connector [N-COUNT-U1] An offset connector is used to change the direction of a wire entering an electrical box. kolanko
- open circuit [N-COUNT-U11] An open circuit is one with a missing connection (meaning no current flows). obwód otwarty
- outlet [N-COUNT-U9] An outlet is a device installed in a wall that carries electricity to devices that are plugged into it. gniazdo elektryczne
- outlet box [N-COUNT-U8] An outlet box is a container that holds the plug-in for electrical connections. skrzynka na gniazdo elektryczne
- outlet cap [N-COUNT-U9] An outlet cap is a plastic cover that prevents unwanted materials from entering the openings of an unused outlet. nakładka na gniazdo
- overcrowded [ADJ-U8] If something is overcrowded, it contains too many people or objects. zatłoczony
- overcurrent [N-UNCOUNT-U4] Overcurrent is a surge of power that occurs when an electrical current exceeds a circuit's amperage capacity. prąd przetężeniowy
- overheat [V-I-U14] If something overheats it, becomes too hot. przegrzewać się
- overload [N-COUNT-U6] Overload occurs when an electrical current is too high for a particular electrical system. przeciążenie
- **owner's manual** [N-COUNT-U7] An **owner's manual** is a booklet that provides manufacturer details and instructions for using a particular product. **instrukcja użytkownika**
- pancake box [N-COUNT-U8] A pancake box is a thin, round receptacle box. rodzaj skrzynki na gniazdo elektryczne
- panel bond [N-COUNT-U13] A panel bond is a wire that connects the panel to the grounding system. przewód łączący rozdzielnicę z uziemieniem
- **parallel** [ADJ-U13] If two things are **parallel**, they run in the same direction but do not cross paths. **równoległy parity** [N-UNCOUNT-U7] **Parity** is the condition of being equal or balanced. **parzystość, parytet**
- permanent [ADJ-U15] If something is permanent, it is meant to stay in place and work over a long period of time. stały
- pilot light switch [N-COUNT-U11] A pilot light switch has a small light built in. The light indicates that the switch is turned on. przełącznik z sygnalizacją
- plug [N-COUNT-U9] A plug is a part with two or more prongs that connects an electrical cord to an outlet. wtyk
- plug and socket connector [N-COUNT-U1] A plug and socket connector has one plug with prongs that is inserted into the openings of a receptor plug. połączenie gniazdowo-wtykowe
- **plug fuse** [N-COUNT-U6] A **plug fuse** is a fuse with a threaded end that screws into a socket. **wtyczka bezpiecznikowa**
- polarity [N-UNCOUNT-U9] Polarity is the state of having positive and negative electrical charges. biegunowość

Glossary

- post connector [N-COUNT-U1] A post connector is a connector used to attach a single wire to a piece of equipment. rodzaj złącza
- precaution [N-COUNT-U14] A precaution is a safety measure that workers take in order to avoid a hazardous situation. środek ostrożności
- prevention [N-UNCOUNT-U15] Prevention is the act of stopping something from happening. zapobieganie
- protection [N-UNCOUNT-U2] Protection is the ability of a conduit to keep out certain dangers, such as a fire. zabezpieczenie
- replacement [N-COUNT-U6] A replacement is when a broken thing is changed for a new one. wymiana

remote [ADJ-U5] If something is remote, it is set apart from something else that it is connected to. odlegly

- residential grade switch [N-COUNT-U11] A residential grade switch is a light duty switch. It is used in homes and is cheaper in price. przełącznik do zastosowań domowych
- **resistance** [N-UNCOUNT-U13] **Resistance** is the amount of voltage applied on two resistor terminals compared to the current that circulates between them. **opór (elektryczny)**
- **right-of-way** [N-COUNT-U3] A **right-of-way** is a strip of land that is used by a utility company to construct and operate transmission lines. **służebność drogi**

ring terminal [N-COUNT-U1] A **ring terminal** is a single wire connection in which a screw or bolt is inserted to make electrical contact. **zacisk pierścieniowy**

- route [N-COUNT-U2] A route is the specified course that a conduit goes along. droga, linia
- safety cover [N-COUNT-U15] A safety cover is a plastic plug that goes into an unused electrical outlet to prevent children from injuring themselves. zaślepka do gniazda elektrycznego
- safeguard [V-T-U4] If something safeguards something else, it protects it. chronić, zabezpieczać
- safety precaution [N PHRASE-U5] A safety precaution is something done to prevent something dangerous from happening. środki ostrożności
- secondary [ADJ-U5] If something is secondary, it serves a lesser purpose than something else. drugorzędny, poboczny
- securely [ADV-U15] If you fasten something securely, it is tied down or attached so it will not move easily or by accident. bezpiecznie (zamocowany), trwale, mocno
- **service cable** [N-COUNT-U3] A **service cable** is a wire that provides a customer's property with electricity. It can be buried or aerial. **przewód sieci**
- service drop [N-COUNT-U3] A service drop is the electrical line that runs from a buried service or an aerial service to a customer's building. linia elektryczna idąca od przyłącza do budynku
- service entrance (SE) [N-COUNT-U3] A service entrance (SE) is the place where electricity enters a building. przyłącze elektryczne
- service lateral [N-COUNT-U3] A service lateral is a power supply that is located underground. źródło zasilania umieszczone pod ziemią
- shallow [ADJ-U8] If a box is shallow, it does not have much space for wires. plytki
- short [V-I-U8] To short is to create an electrical connection that was not meant to happen. zewrzeć (spowodować zwarcie)
- short circuit [N-COUNT-U5] A short circuit is an electrical failure caused by improper or damaged electrical connections. zwarcie
- single gang box [N-COUNT-U10] A single gang box is an electrical box installed in a wall that delivers power to one switch. pojedyncza skrzynka elektryczna
- single outlet [N-COUNT-U9] A single outlet is an outlet that can receive one plug receptacle. gniazdo pojedyncze
- single pole breaker [N-COUNT-U6] A single pole breaker is a circuit breaker that is connected to one hot bus bar and supplies 120-volt power to a circuit. bezpiecznik jednobiegunowy
- single pole switch [N-COUNT-U11] A single pole switch is a basic on/off switch. It allows only one contact to open at a given time. wyłącznik jednobiegunowy
- snap [V-I-U7] To snap is to fit quickly and snugly into a particular place, often causing a clicking noise. zatrzaskiwać

soil condition [N PHRASE-U13] Soil condition refers to the texture of the soil, such as dry, rocky, or wet. stan gleby

- solderless connector [N-COUNT-U1] A solderless connector connects wires by using mechanical pressure instead of solder. łącznik nielutowany
- spade terminal [N-COUNT-U1] A spade terminal is the same as a ring terminal except that the metal part doesn't make a full ring. końcówka widełkowa płaska
- sphere of influence [N PHRASE-U13] A sphere of influence is an electrical current that flows from the ground rod and into the soil that surrounds it. The current moves away from the ground rod in waves. uplyw prądu do ziemi z uziemienia
- split bolt connector [N-COUNT-U1] A split bolt connector is used for taps and splices in building wiring. rodzaj złącza
- stability [N-UNCOUNT-U7] Stability is the condition of being not easily changed or disrupted. stabilność
- stray voltage [N-UNCOUNT-U12] Stray voltage is electrical energy flowing through something that it should not be flowing through, such as a lamp post. prąd błądzący
- **subpanel** [N-COUNT-U5] A **subpanel** is the part of an electrical system that controls the delivery of power from the main service panel to all or part of a house or building. **podrozdzielnica**
- surge arrester [N-COUNT-U12] A surge arrester is a piece of equipment which saves electrical systems from being negatively affected by lightning. ochronnik przepięciowy
- temporary [ADJ-U15] If something is temporary, it is meant to last or be used for a short period of time. czasowy
- terminal block connector [N-COUNT-U1] A terminal block connector is used to connect individual electrical wires. kostka połączeniowa
- three gang box [N-COUNT-U10] A three gang box is an electrical box installed in a wall that delivers power to three switches. gniazdo potrójne
- three-way switch [N-COUNT-U11] A three-way switch is used for circuits with two different locations. przełącznik trójfazowy
- timer switch [N-COUNT-U11] A timer switch is a switch that is set to turn on or off at a desired time. przełącznik czasowy
- toggle switch [N-COUNT-U11] A toggle switch is an electrical switch with a lever. The lever moves up and down to control the switch. przełącznik
- traffic [N-UNCOUNT-U15] Traffic is the movement of people or objects through an area. ruch (ludzi/pojazdów)
- transfer [V-T-U7] To transfer something is to move or redirect something. przenieść, przeprowadzić, przetransferować
- trip [V-T-U6] To trip something is to trigger or release a switch to set something into operative mode. przełączyć
- two gang box [N-COUNT-U10] A two gang box is an electrical box installed in a wall that delivers power to two switches. podwójne gniazdo elektryczne
- utility pole [N-COUNT-U3] A utility pole is a large pole that is used to support overhead wires such as power lines and telephone wires. słup wysokiego napięcia
- utility transformer [N-COUNT-U3] A utility transformer is a device that changes electricity from high to low voltage. transformator rozdzielczy
- volume [N-UNCOUNT-U8] Volume is the amount of space inside something measured in cubic units. pojemność
- wall cavity [N-COUNT-U10] A wall cavity is an opening in a wall where a fixture, such as a switch box, is mounted. otwor w ścianie
- weatherproof [ADJ-U8] If something is weatherproof, it can endure any kind of weather. odporny na warunki atmosferyczne
- wide slot [N-COUNT-U9] A wide slot is the larger of the two rectangular slots in an electrical outlet. It connects to the neutral prong that receives a spent electrical current from the plug. większy otwór gniazda elektrycznego (typu amerykańskiego) z podłączonym przewodem neutralnym
- **worn out** [ADJ PHRASE-U15] When something is **worn out**, it has outlived its optimal usefulness or durability and should be replaced. **zużyty**
- zip cord [N-UNCOUNT-U15] Zip cord is a set of two or more attached insulated wires that may be separated by pulling them apart. It is usually used for household appliances. połączone kable w otulinach, które można od siebie rozdzielić