Glossary

5G network [N-COUNT-U7] **5G network** is the fifth-generation mobile network that delivers high capacity, speed (of up to 10 Gbps) and low latency by combining frequencies from multiple bands. telefonia komórkowa piątej generacji

AAC [ABBREV-U6] AAC is a music file format that is of higher quality than MP3. format plików muzycznych oferujących lepszą jakość niż MP3 account activity [N-UNCOUNT-U11] Account activity is a withdrawal, deposit or transfer in a bank account. operacje na koncie bankowym

- account alert [N-COUNT-U11] An account alert is a service that notifies bank customers of suspicious activity. wiadomość SMS o stanie rachunku bankowego
- active matrix display [N-COUNT-U14] An active matrix display is a type of screen that produces high quality, clear images. wyświetlacz z aktywną matrycą
- actuator [N-COUNT-U13] An actuator is a piece of equipment that uses energy to make a robot move. urządzenie uruchamiające
- agent [N-COUNT-U15] An agent is a computer that observes and reacts to the conditions in a certain environment. agent (program komputerowy pracujący w tle); komputer pośredniczący
- algorithm [N-COUNT-U15] An algorithm is a rule or set of rules that provides steps to take or questions to ask in order to solve a problem. algorytm
- antivirus software [N-UNCOUNT-U3] Antivirus software is a program that locates and eliminates computer viruses. program antywirusowy
- **app** [N-COUNT-U7] An **app** (short for "application") is a type of software with a specific function that users can download, install and run on electronic devices, mainly smartphones and tablets. **apliakcja, program użytkowy**
- array [N-COUNT-U4] An array is a data storage system which uses multiple disk drives that are connected and used as a single unit. tablica, matryca
- artificial intelligence [N-UNCOUNT-U15] Artificial intelligence is the branch of science that seeks to create computers and robots that can reason, learn and solve problems independently. sztuczna inteligencja
- automatic document feeder [N-COUNT-U5] An automatic document feeder (ADF) is a device that feeds multiple pages into a scanner. automatyczny podajnik dokumentów
- autonomous [ADJ-U13] A robot that is autonomous can operate on its own without help from humans. autonomiczny
- avatar [N-COUNT-U9] An avatar is an image in a computer game that represents a person. awatar
- bank fraud [N-UNCOUNT-U11] Bank fraud is a crime in which someone uses bank funds without permission. oszustwo, defraudacja pieniędzy banku
- **barcode** [N-COUNT-U8] A **barcode** is a machine-readable representation of the UPC 12 digit number printed onto a product and which is electronically scanned providing information about the product. kod kreskowy
- bill pay [N-UNCOUNT-U11] Bill pay is a service provided by banks that allows customers to automatically pay bills online in one place instead of on different sites. polecenie przelewu
- bit [N-COUNT-U1] A bit is the smallest unit of computer data. bit
- bit size [N-COUNT-U1] A computer's bit size measures the number of bits that the CPU can access at once. liczba bitów dostępnych jednorazowo
- bitmapped graphic [N-COUNT-U14] A bitmapped graphic is an image whose pixels are made up of a set number of bits. grafika punktowa
- bitrate [N-UNCOUNT-U6] Bitrate is a measurement of the amount of data that is processed (bit per unit of time). szybkość transmisji bitów, przepływność
- black and white [ADJ-U14] An image or picture that appears only in black, white, and varying shades of gray is black and white. czarno-biały
- **blog** [N-COUNT-U9] A **blog** is a website where a person writes posts about his or her feelings, thoughts, activities, etc. about a subject. blog
- **Bluetooth**[®] [N-UNCOUNT-U7] **Bluetooth**[®] is a wireless network based on radio waves that connects Bluetooth-compatible devices (smartphones, scanners, digital cameras, printers, etc.) within a limited range (30 feet). technologia bluetooth
- Boolean operator [N-COUNT-U12] A Boolean operator is a word such as "and", "not", "or" that is used when combining keywords in a database search so as to narrow down or broaden the results. operator logiczny
- **broadband** [N-UNCOUNT-U3] **Broadband** is a high-bandwidth data transmission method that permits various upload and download speeds via fiber optics, DSL, satellite, cable and other technologies. szerokie pasmo połączenia z internetem

- **bus speed** [N-UNCOUNT-U1] A computer's **bus speed** measures how many data move across a circuit (bus) at a time. It is measured in MHz. The faster the bus, the more data it can handle. szybkość bazowej częstotliwości
- C [N-UNCOUNT-U2] C is a programming language that is used to program operating systems. język programowania C
- C# [N-UNCOUNT-U2] C# is a programming language that was invented as an alternative to Java. język programowania C#
- C++ [N-UNCOUNT-U2] C++ is a programming language that adds object-oriented programming capabilities to C. język programowania C++
- calibration [N-UNCOUNT-U5] Calibration is the act of adjusting printers and scanners to display colors correctly. kalibracja
- call waiting [N-UNCOUNT-U7] Call waiting is a feature of some cell phones. It alerts you that someone is calling while you are on the line with someone else. połączenie oczekujące (usługa polegająca na informowaniu o oczekującym połączeniu w trakcie trwającej rozmowy telefonicznej)
- caller ID [N-UNCOUNT-U7] Caller ID is a feature of some cell phones that tells you the name and number of the person calling you. identyfikacja numeru osoby dzwoniącej
- capacity [N-UNCOUNT-U6] Capacity is the amount of space an MP3 player has to store files. pojemność
- cartographic [ADJ-U10] If data are cartographic, they are captured and manipulated for the purpose of map making. kartograficzny
- case-based reasoning [N-UNCOUNT-U15] Case-based reasoning is the process of using information from previous experiences to solve new problems. proces rozwiązywania nowych problemów oparty na rozwiązaniach podobnych problemów z przeszłości
- catalog [N-COUNT-U12] A catalog is an inventory of books in a library. katalog
- CCD [ABBREV-U5] A CCD (Charged-Coupled Device) is a light-sensitive chip or sensor that converts light (photons) into electrons to capture digital photos. It is used in light-sensing devices such as digital cameras, optical scanners, video cameras, etc. element światłoczuły
- cell phone [N-COUNT-U7] A cell phone is a wireless phone that sends and receives data at a certain frequency of energy. telefon komórkowy
- cloud computing [N-UNCOUNT-U4] Cloud computing is the use of various services, such as software development platforms, servers, storage and software, over the Internet, and is often referred to as the 'cloud.' chmura obliczeniowa, przetwarzanie w chmurze
- cognitive scientist [N-COUNT-U15] A cognitive scientist is a person who studies the mind and thought processes. specjalista w zakresie nauk o poznaniu
- compiler [N-COUNT-U2] A compiler is a program that changes human-readable source code into machine code that a CPU can understand. kompilator
- **computer language** [N-COUNT-U2] A **computer language** (also known as a programming language) is a code that is used by computer programmers to create instructions that a computer can understand. język komputerowy
- computer vision [N-UNCOUNT-U15] Computer vision is the field and technology of making computers that have the ability to see. widzenie komputerowe (środki wprowadzania i rozpoznawania obrazów)
- consciousness [N-UNCOUNT-U15] Consciousness is the state of being aware of oneself and one's actions. świadomość
- CPU [ABBREV-U2] A CPU (Central Processing Unit) is the part of a computer that handles most of the processing of instructions and controls the computer's functions. procesor, jednostka centralna (komputera)
- correlated [ADJ-U10] If two things are correlated, there is a kind of connection between them and they somehow relate. współzależny
- data capture [N-UNCOUNT-U10] Data capture is the act of acquiring and digitizing information from different sources on a GIS in layers. zbieranie danych
- data plan [N-COUNT-U8] A data plan is a contract from a cell phone service provider that states how many data a user can access or use. plan taryfowy dotyczący dostępu do internetu
- decode [V-T-U6] To decode a file is to return it to its original format. dekodować, odcyfrować
- digital camera [N-COUNT-U5] A digital camera is a device that records images that can be stored, displayed, edited and printed. aparat cyfrowy
- digital zoom [N-UNCOUNT-U5] The digital zoom is how a digital camera increases the display size of an image subject, once it has been captured by the sensor, reducing image quality. zoom cyfrowy
- DIMM [ABBREV-U1] A DIMM (Dual Inline Memory Module) is a newer type of memory module. It sends 64 bits of data to the CPU. dwurzędowy moduł pamięci

Glossary

dock [N-COUNT-U6] A dock is a device that connects an MP3 player to a computer. stacja dokująca, replikator portów

- download [V-T-U14] To download data or content is to transfer a file or program from the Internet to a personal computer or device. pobierać (np. pliki)
- DPI [ABBREV-U5] DPI (Dots Per Inch) is the number of dots used per inch and measures the resolution of an image. punkty na cal (miara używana w drukowaniu)

drive power [N-UNCOUNT-U13] Drive power is the energy that makes a robot move. moc napędu

driver [N-COUNT-U6] A driver is software that tells a device how it should communicate with a computer's operating system. sterownik DSL [ABBREV-U3] DSL (Digital Subscriber Line) is a high-bandwidth connection using normal telephone lines. cyfrowe łącze abonenckie dynamic model [N-COUNT-U13] A dynamic model is a mathematical model of the forces that allow a robot to move. model dynamiczny ebook [N-COUNT-U12] An ebook is a book that is available online. książka elektroniczna, e-książka

ejournal [N-COUNT-U12] An ejournal is a scholarly publication that is published online. elektroniczne czasopismo naukowe

- electronic funds transfer [N-COUNT-U11] An electronic funds transfer is the act of moving money from one account to another by using a computer. elektroniczny transfer środków pieniężnych
- electronic statement [N-COUNT-U11] An electronic statement is a summary of account activity that is viewable on a computer, but not on paper. elektroniczny wyciąg z konta bankowego

email [N-COUNT-U8] An email is an electronic message sent from one user to another. mail

- enabling device [N-COUNT-U13] An enabling device is a device that a person activates to allow a robot to move. urządzenie sterownicze
- end-effector [N-COUNT-U13] An end-effector is the hand or tool at the end of a robot's manipulator. It is the part of the robot that moves or picks up objects. efektor końcowy (chwytak)
- EPC [ABBREV-U8] An EPC (Electronic Product Code) is a unique numerical code used to identify any individual item. elektroniczny kod produktu
- equality constraint [N-COUNT-U13] An equality constraint is a value that specifies the end-effector's position and movements. współrzędne określające pozycję i ruchy efektora
- ergonomic [ADJ-U14] Something that is ergonomic is easy to use and has been designed to prevent injury from using it repeatedly. ergonomiczny
- EZproxy [N-UNCOUNT-U12] EZproxy is a library server program that allows remote users to access the library's electronic materials. server pośredniczący umożliwiający dostęp do bibliotecznych materiałów elektronicznych
- failure [N-COUNT-U4] A failure occurs when a disk drive malfunctions and the data stored on it cannot be accessed. awaria, usterka
- flash memory [N-UNCOUNT-U5] Flash memory is a medium that is used to store and transfer data from a device (e.g. digital camera) to a computer. pamięć błyskowa, pamięć fleszowa
- forum [N-COUNT-U9] A forum is a website where people can discuss a certain topic. forum

freeze [V-I-U6] To freeze is to become unresponsive and stop functioning. zawiesić działanie

gaming [N-UNCOUNT-U9] Gaming is the activity of playing games online on a computer. granie w internetowe gry komputerowe

GB [ABBREV-U6] A GB (gigabyte) is a unit of measurement of hard drive capacity equal to 1 billion bytes. gigabajt

GIS [ABBREV-U10] GIS (Geographic Information System) is a system that integrates all types of location data as a foundation of mapping and analysis in order to monitor change, improve various processes, provide solutions, predict trends, etc. System Informacji Geograficznej

handle [N-COUNT-U9] A handle is a name that a person creates to access an account on a computer or website. nick

- HDD [ABBREV-U4] An HDD (Hard Disk Drive) is a data storage device that works alongside a system's memory. It stores data on magnetic platters. dysk twardy
- heuristics [N-UNCOUNT-U15] Heuristics is a type of algorithm designed to find a suitable solution to a problem when no perfect solution or answer is known. algorytm heurystyczny
- hotspot [N-COUNT-U3] A hotspot is a location (like an airport or a café) that provides wireless Internet access to users via a WLAN. hot spot
- hybrid array [N-COUNT-U4] A hybrid array is a type of storage management incorporating HDD, SSD and flash memory. macierz hybrydowa

identity theft [N-UNCOUNT-U11] Identity theft is the crime of using other people's personal information to take their money or buy items in their name. kradzież tożsamości

index [N-COUNT-U12] An index is an alphabetical list of books in a library. indeks

- inkjet printer [N-COUNT-U5] An inkjet printer is a device that uses ink to produce documents and images on paper. drukarka atramentowa
- instant message [N-COUNT-U8] An instant message (or IM) is a written message that occurs online in a chat session between users who are using the same services (software platform). rozmowa przez komunikator internetowy

ISP [ABBREV-U3] An ISP (Internet Service Provider) is a company that provides Internet access. dostawca internetu

- Java [N-UNCOUNT-U9] Java is an object-oriented programming language that is typically used for client-server web applications. język programowania Java
- JavaScript [N-UNCOUNT-U2] JavaScript (JS) is a scripting language, mainly used on the Web. It is used to enhance HTML pages and is commonly found embedded in HTML code. JavaScript (skryptowy język programowanie)

joint [N-COUNT-U13] Joints are the places where the parts of a robot connect. They allow the robot's parts to rotate. złącze

laser printer [N-COUNT-U5] A laser printer is a device that produces documents and images on paper with a laser beam. drukarka laserowa

latitude [N-UNCOUNT-U10] Latitude is an object's location north or south of the equator. szerokość geograficzna

layer [N-COUNT-U10] A data layer is a level of data above or below another level of data. warstwa (danych)

- license restriction [N-COUNT-U12] A license restriction is a limitation of access to a library's electronic resources. ograniczenie licencji
- link [N-COUNT-U9] A link is a word or set of words on a website or document. When you click on it, it takes you to a different website. link, łącze, odnośnik
- linker [N-COUNT-U2] A linker is a program that takes the machine code created by a compiler and makes it into an executable file. program łączący
- lithium-ion battery [N-COUNT-U7] A lithium-ion battery is a battery in cell phones that is small, light, and lasts a long time. akumulator litowo-jonowy, bateria litowo-jonowa

location [N-COUNT-U10] A location is a place where something is situated. lokalizacja, położenie

lockout [N-COUNT-U11] A lockout prevents people from accessing a bank account when the password is entered incorrectly too many times. blokada konta

longitude [N-UNCOUNT-U10] Longitude is an object's location east or west of the Prime Meridian. długość geograficzna

- machine code [N-UNCOUNT-U2] Machine code is a computer language that is made up of the instructions that a CPU can process. kod maszynowy
- machine learning [N-UNCOUNT-U15] Machine learning is a field of study concerned with creating algorithms that computers can use to learn from their experiences. uczenie maszynowe, systemy uczące się
- manipulator [N-COUNT-U13] The manipulator is the arm of a robot. The end-effector sits at the end of it. manipulator

MB [ABBREV-U1] A MB (megabyte) is a unit of measurement that measures how much information a computer stores. megabajt

media [N-PLURAL-U12] Media are the forms of mass communication available at a library, including images, films and periodicals. nośniki

megapixel [N-COUNT-U5] A megapixel is a unit of graphic resolution of a digital image and is equal to roughly one million pixels. megapiksel

metadata [N-PLURAL-U10] Metadata is information that describes the content of stored data. metadane

- MHz [ABBREV-U1] A MHz (megahertz) is a unit of measurement that measures the speed of a CPU. megahertz
- MMORPG [ABBREV-U9] A MMORPG (Massively Multiplayer Online Role-Playing Game) is a type of online computer game in which many people interact with each other in a virtual world. rodzaj gry komputerowej RPG dla dużej liczby graczy
- model-based reasoning [N-UNCOUNT-U15] Model-based reasoning is the process of making conclusions by examining cause and effect relationships. proces wyciągania wniosków na podstawie badania związków przyczynowo-skutkowych

MP3 [ABBREV-U6] MP3 is the standard format for digital audio files. format MP3

multi-thread [V-I-U2] To multi-thread is to manage multiple execution threads (instruction streams) independently and at one time. używać komputera do pracy wielowątkowej

Glossary

- **news feed** [N-UNCOUNT-U9] **News feed** is a webpage of a website or a feature in a networking site that constantly shows new content or updates. aktualności, najnowsze wiadomości
- offline [ADV-U14] If something is available offline, it can be used when an electronic device is not connected to the Internet. niepołączony z internetem
- online banking [N-UNCOUNT-U11] Online banking is a service that allows people to manage their finances on the Internet. bankowość internetowa
- optical zoom [N-UNCOUNT-U5] Optical zoom is a lens adjustment to make an image appear larger, retaining image quality zoom optyczny.
- paging file [N-COUNT-U1] A paging file is the area on the hard drive where the computer stores data that don't fit in the RAM. plik stronicowania
- pattern recognition [N-UNCOUNT-U15] Pattern recognition is the process of classifying objects by examining their visual appearance. rozpoznawanie wzorca
- PDF reader [N-COUNT-U14] A PDF reader is a program that can open and display text or images regardless of the software or operating system of the user. czytnik plików PDF

pendant [N-COUNT-U13] A pendant is a device that a person uses to control and guide a robot's movements. pilot, panel sterowniczy

- PIN [ABBREV-U11] A PIN (Personal Identification Number) is a number assigned to bank account holders that helps banks identify the holder and maintain security. numer PIN
- playlist [N-COUNT-U6] A playlist is a list of songs created by an MP3 player user. playlista

post [N-COUNT-U9] A post is a message or news item on a website. post, wypowiedź na stronie internetowej

profile [N-COUNT-U9] A profile is a webpage on a social networking site with personal or identifying information. profil

publication [N-COUNT-U14] A publication is a book or magazine that a publishing company releases to the public. publikacja

- Python [N-UNCOUNT-U2] Python is a multiparadigm, general-purpose, interpreted, high-level programming language. Python (język programowania)
- **RAID** [ABBREV-U4] **RAID** is data storage technology that combines multiple disk drives into a single storage and can therefore increase computer performance dramatically. tablica niezależnych twardych dysków, system RAID
- RAM [ABBREV-U1] RAM (Random Access Memory) is a form of computer data storage. It is a physical device that holds data temporarily. pamięć RAM, pamięć o dostępie bezpośrednim
- raster [N-COUNT-U10] A raster is a dataset of rows and columns with pixels or cells, where each pixel or cell represents a value. raster (w grafice komputerowej)
- reflow [N-UNCOUNT-U14] Reflow is a process that allows images or text to fit screens that are different sizes. proces pozwalający na dostosowywanie obrazów lub tekstu do ekranów różnych rozmiarów

remote access [N-UNCOUNT-U12] Remote access is the ability to use online library resources from outside the library. dostep zdalny

- remote sensing [N-UNCOUNT-U10] Remote sensing is the process of gaining information about the physical characteristics of a region from a great distance. Examples include photos or images from satellite cameras, the tracking of forest fires, etc. teledetekcja
- ringtone [N-COUNT-U7] A ringtone is a sound or song that a cell phone plays when someone calls it. dzwonek telefonu

robot [N-COUNT-U15] A robot is a moving machine that can complete tasks automatically. robot

robotics [N-UNCOUNT-U13] Robotics is the scientific study of robots and their structure and movement. robotyka

- SATA [ABBREV-U4] SATA is an interface for connecting storage devices to the motherboard so as to transfer data. szeregowa magistrala komputerowa
- scan [V-T-U8] To scan a product is to use a laser to read bar codes and convert them to electronic signals. skanować

serial robot [N-COUNT-U13] A serial robot is a robot that consists of a single series of joints linked together. robot rotacyjny

- SIMM [ABBREV-U1] A SIMM (Single Inline Memory Module) is an older type of memory module. It sends up to 32 bits of data to a CPU. moduł pamięci jednorzędowej
- site key [N-COUNT-U11] A site key is an Internet security tool that confirms the validity of a website. bankowy system bezpieczeństwa oparty na obustronnym uwierzytelnieniu

site license [N-COUNT-U12] A site license allows users to access software regardless of their location. licencja indywidualna

- social networking [N-UNCOUNT-U9] Social networking is the activity of socializing online with other people. This takes place on social networking sites, forums, blogs, etc. działalność/udzielanie się na portalach społecznościowych
- spam [N-UNCOUNT-U8] Spam is unwanted email, like advertisements, sent to large groups of people. Some email providers direct spam to special folders so that users do not have to see or open it. spam (niechciane wiadomości mailowe)
- **spatial pattern** [N-COUNT-U10] A **spatial pattern** in data is the occurrence of individual entities in a location and the relationships that are formed among them. wzór przestrzenny
- **SSD** [ABBREV-U4] An **SSD** (Solid State Drive) is a data storage device that typically uses flash memory. SSDs access data faster than HDDs. dysk SSD
- SSL connection [N-COUNT-U11] An SSL (Secure Sockets Layer) connection is a secure connection between two servers. bezpieczne połączenie
- sub-pixel rendering [N-UNCOUNT-U14] Sub-pixel rendering is a process that increases the clarity of text on certain displays. proces zwiększający rozdzielczość niektórych ekranów
- subscription [N-COUNT-U12] A subscription is an agreement to use something, often requiring a fee. subskrypcja
- Swift [N-UNCOUNT-U2] The Swift programming language is a language that Apple[®] developed for various operating systems, including some of its smartphone operating systems, as well as desktop platforms. Swift (język programowania)
- system requirements [N-PLURAL-U14] System requirements are the hardware or software needed to run a program. wymagania systemowe
- T-1 [ABBREV-U3] T-1 is a type of line used by businesses that connects many users at one time to the Internet. podstawowy system zwielokrotnienia kanałów cyfrowych
- T-3 [ABBREV-U3] T-3 is a powerful line made of 28 T-1 lines. zaawansowany system zwielokrotnienia kanałów cyfrowych
- text [V-T-U8] To text someone is to send them a text message. wysyłać SMS
- text message [N-COUNT-U7] A text message (via SMS) is a short, written message that a person sends to and from a cell phone. SMS, wiadomość tekstowa
- touchscreen [N-COUNT-U7] A touchscreen is a display on some cell phones that you tap to access its features and applications. ekran dotykowy
- transparency adapter [N-COUNT-U5] A transparency adapter is a device that is used with a scanner to capture see-through documents like slides. skaner slajdów
- UPC [ABBREV-U8] A UPC (Universal Product Code) is a 12-digit number used to identify consumer items. uniwersalny kod wyrobu
- upgrade [V-T-U3] To upgrade a computer program or a type of service is to improve it. zaktualizować
- upload [V-T-U6] To upload a file is to transfer it from a computer or device to the Internet or to another device, such as an MP3 player. wysyłać, załadować (pliki)
- USB flash drive [N-COUNT-U4] A USB flash drive is a portable flash memory system that uses a USB interface to connect to a computer and transfer information. pamięć USB
- vector [N-COUNT-U10] A vector is a dataset of points, lines and polygones, or vertices that are used to represent something. wektor
- virtual memory [N-UNCOUNT-U1] Virtual memory is a method of computer data storage. The computer stores data temporarily on its hard drive instead of in the RAM. pamięć wirtualna
- virtual world [N-COUNT-U9] A virtual world is an online world where you can meet and interact with other people or computer players. świat wirtualny
- voice activation [N-UNCOUNT-U7] Voice activation is a feature of some cell phones that lets you dial a number by voice instead of by hand. aktywacja głosowa
- voicemail [N-UNCOUNT-U7] Voicemail is a feature that lets you listen to or leave an electronic spoken message on a cell phone. poczta głosowa
- VPN [ABBREV-U12] A VPN (Virtual Private Network) is a way to encrypt a connection when you use remote access. wirtualna sieć prywatna
- Wi-Fi® [ABBREV-U3] Wi-Fi® (Wireless Fidelity) is a wireless networking protocol and technology that allows devices within a limited area to connect to a wireless router that in turn connects them to the Internet, creating a network. standard sieci bezprzewodowych
- WPS [ABBREV-U3] WPS (Wi-Fi® Protected Setup), sometimes also described as "push n' connect", PBC, QSS, etc. is a built-in feature in wireless routers that makes it easier and quicker for devices to connect to a router without entering passwords. WPS (funkcja wielu ruterów, ułatwiająca szybkie połączenie urzędzenia do sieci bezprzewodowej)